Data Supplement 3. Hierarchical Multinomial Regression Analysis of Variables Associated With Competitive Paid Employment and Other Vocational Activity, Compared to No Vocational Activity, in Patients With Schizophrenia (N=1,411)

	Model 1 ^a		Model 2 ^a		Model 3 ^a	
	Competitive Paid	Other Vocational	Competitive Paid	Other Vocational	Competitive Paid	Other Vocational
Variable	Employment	Activity	Employment	Activity	Employment	Activity
Age (10-year increments)	0.91	0.92	0.90	0.88	0.90	0.89
Black	0.51**	0.99	0.50***	0.95	0.48***	0.94
Education						
<high school<="" td=""><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td></high>	1.00	1.00	1.00	1.00	1.00	1.00
High school	1.35	1.35	1.34	1.32	1.43	1.35
>High school	2.16**	1.70*	2.10**	1.63*	1.87**	1.48
Neurocognitive functioning score	1.27	1.32	1.09	1.11	0.89	0.95
Waist-to-hip ratio (10% change)	0.85	0.87	1.17	1.13	0.84	0.24
Public support						
None	1.00	1.00	1.00	1.00	1.00	1.00
\$1–650	0.41†	0.94	0.39†	0.87	0.39†	0.87
>\$650	0.27†	1.13	0.26†	1.08	0.27†	1.07
Symptoms (Positive and Negative Syndrome Scale score)						
Positive	0.50**	0.51*	0.66	0.68	0.95	0.91
Negative			0.35***	0.29†	0.78	0.50*
Intrapsychic functioning					6.69†	4.01†

^aAdjusted odds ratios.

^{*}p<0.05.

^{**}p<0.01.

^{***}p<0.001.

[†]p<0.0001.