

Table 1**Between-Group Comparisons on the Clinician-Administered Measure of OCD Symptoms (DY-BOCS)**

	Hoarding Minus OCD (N=27)		OCD Plus Hoarding (N=25)		OCD Minus Hoarding (N=71)		F	df	p
	Mean	SD	Mean	SD	Mean	SD			
DY-BOCS dimensions									
Hoarding	7.7 ^a	3.0	10.2 ^b	2.7	0.7 ^c	1.8	179.457	2	0.0000
Contamination	0.5 ^a	1.2	5.1 ^b	3.9	5.0 ^b	5.2	9.869	2	0.0001
Symmetry	1.8 ^a	2.2	8.2 ^b	2.9	5.0 ^c	4.5	16.808	2	0.0000
Harm	0.5 ^a	1.3	5.3 ^b	4.4	6.4 ^b	4.7	17.413	2	0.0000
Sexual/religious	0.3 ^a	0.8	1.9 ^{a,b}	2.7	3.7 ^b	4.3	9.098	2	0.0002
Miscellaneous	2.8 ^a	3.3	6.8 ^b	4.2	5.9 ^b	4.6	5.526	2	0.0051
DY-BOCS impairment	6.6 ^a	3.0	11.1 ^b	2.5	10.5 ^b	2.3	25.602	2	0.0000
DY-BOCS severity	7.1 ^a	3.0	11.4 ^b	2.4	10.7 ^b	2.4	21.358	2	0.0000
DY-BOCS severity (minus hoarding) ¹	3.5 ^a	2.3	9.6 ^b	2.1	10.7 ^b	2.4	86.603	2	0.0000
DY-BOCS global score	13.7 ^a	5.8	22.4 ^b	4.8	21.2 ^b	4.5	24.868	2	0.0000

Note: Means with different superscripts differ significantly at $p < 0.05$.

¹This scale was modified from the original DY-BOCS severity scale and rated by the clinician, excluding hoarding symptoms.

Table 2**Between-Group Comparisons on Self-Administered Measures of Hoarding and OCD Symptoms**

	Hoarding Minus OCD (N=27)		OCD Plus Hoarding (N=25)		OCD Minus Hoarding (N=71)		Anxiety Disorder Comparison (N=19)*		Healthy Comparison (N=21)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Savings Inventory total score	52.7 ^a	16.6	61.2 ^a	13.2	16.5 ^b	12.4	17.1 ^b	11.1	13.0 ^b	7.8
Clutter	25.1 ^a	8.5	27.3 ^a	7.4	4.7 ^b	5.4	4.6 ^b	5.0	3.4 ^b	3.2
Difficulty Discarding	19.6 ^a	2.8	20.5 ^a	3.5	7.0 ^b	5.8	6.9 ^b	5.1	5.0 ^b	4.6
Acquisition	10.4 ^a	4.6	11.6 ^a	4.3	4.5 ^b	3.8	4.7 ^b	2.9	2.8 ^b	2.3
OCI-R total score	17.5 ^a	6.3	36.3 ^b	13.2	27.8 ^b	12.9	13.9 ^a	9.4	4.5 ^c	5.6
Hoarding	9.3 ^a	1.6	9.6 ^a	2.3	2.4 ^c	3.0	2.3 ^c	2.4	1.0 ^c	1.4
Washing	0.3 ^a	0.6	4.0 ^b	3.1	4.9 ^b	4.3	1.1 ^a	1.5	0.1 ^a	0.5
Checking	1.7 ^a	1.7	6.8 ^b	3.8	6.5 ^b	4.4	1.7 ^a	2.3	0.9 ^a	1.7
Neutralizing	0.9 ^a	1.3	4.0 ^b	4.0	4.0 ^b	4.3	0.3 ^a	0.8	0.2 ^a	0.6
Obsessing	2.7 ^a	2.9	6.6 ^b	4.7	7.5 ^b	3.5	4.6 ^a	3.4	0.6 ^a	1.2
Ordering	2.6 ^a	2.0	6.1 ^{b,c}	3.4	5.3 ^{b,c}	3.7	3.3 ^{a,c}	2.9	1.7 ^a	2.5

Note: Means with different superscripts differ significantly at $p < 0.05$.

Abbreviations: OCI-R (Obsessive-compulsive Inventory-Revised).

*Social phobia (N=12), panic disorder with or without agoraphobia (N=8), generalized anxiety disorder (N=4), and posttraumatic stress disorder (N=1).

Table 3

Between-Group Comparisons on Self-Administered Measures of Disability/Adjustment and Depression

	Hoarding Minus OCD (N=27)		OCD Plus Hoarding (N=25)		OCD Minus Hoarding (N=71)		Anxiety Disorder Comparison (N=19)*		Healthy Comparison (N=21)	
WSAS total score	18.9 ^a	9.8	23.0 ^a	8.2	19.3 ^a	9.6	16.9 ^a	8.4	2.7 ^b	5.6
Work	3.8 ^a	2.0	4.9 ^a	2.6	4.5 ^a	2.3	4.7 ^a	2.5	0.5 ^b	1.3
Home Management	5.1 ^a	2.5	5.6 ^a	1.8	3.7 ^a	2.2	2.3 ^b	2.4	0.6 ^b	1.5
Social Leisure Activities	3.4 ^a	2.9	3.9 ^a	1.9	4.3 ^a	2.1	5.0 ^a	2.7	0.5 ^b	1.0
Private Leisure Activities	3.1 ^{a,b}	2.4	4.1 ^a	1.9	3.3 ^{a,b}	2.0	1.9 ^{b,c}	1.9	0.5 ^c	1.8
Family and relationships	3.2 ^a	2.5	4.6 ^a	2.5	3.6 ^a	2.4	3.1 ^a	2.4	0.5 ^b	1.5
Beck Depression Inventory	17.5 ^a	11.1	18.9 ^a	11.2	15.0 ^a	12.8	18.6 ^a	9.6	4.6 ^b	5.5

Note: Means with different superscripts differ significantly at $p < 0.05$.

Abbreviations: WSAS (Work and social adjustment scale).

*Social phobia (N=12), panic disorder with or without agoraphobia (N=8), generalized anxiety disorder (N=4), and posttraumatic stress disorder (N=1).