

Supplementary Table A. Demographic characteristics of first-episode psychotic patients with and without deficit in each cognitive task

	Sex, male			Age, years				Years of education			DUP, months			
	N	%	p	Median	Range	Mean	(SD)	p	Mean	(SD)	p	Mean	(SD)	p
Attention task														
Deficit (n=28)	11	(39.3%)	NS	28.07	33.79	30.1	(10.2)	NS	10.4	(3.7)	NS	11.4	(27.1)	NS
Nondeficit (n=14)	8	(57.1%)		28.62	28.68	29.7	(9.2)		11.5	(3.9)		7.5	(8.2)	
Motor task														
Deficit (n=27)	12	(44.4%)	NS	27.14	35.71	31.3	(11.6)	NS	9.8	(3.3)	0.027	10.9	(18.8)	NS
Nondeficit (n=22)	11	(50.0%)		31.15	29.08	30.9	(8.0)		12.1	(3.6)		5.8	(8.0)	
Verbal memory task														
Deficit (n=24)	14	(58.3%)	NS	32.59	34.08	33.9	(10.7)	NS	10.3	(3.2)	NS	9.1	(9.0)	NS
Nondeficit (n=25)	9	(36%)		27.30	29.28	28.5	(8.8)		11.4	(3.9)		8.1	(19.3)	
Executive function task														
Deficit (n=30)	13	(43.3%)	NS	28.27	35.71	30.6	(11.4)	NS	10.1	(3.8)	0.050	10.3	(18.0)	NS
Nondeficit (n=18)	10	(55.6%)		31.15	22.57	31.0	(6.8)		12.2	(3.0)		6.0	(8.3)	