

Appendix I - Catalog of phenotypic features

Introduction	4
Statistics	5
Study	5
Sex	6
Location	7
Self-ident-ancestry	8
Age-at-interview	9
Digs	10
Figs	11
MedRec	12
FH_psychosis	13
Dx_cs_1	14
Aao_cs_1	15
Dx_cs_2	16
Dx_cs_3	19
dx_cs_4	21
Dx_cs_5	22
SumCritA	24
Cs_A1	26
cs_A1a	27
Cs_A2	28
cs_A2a	29
Cs_A3	30
Cs_A4	31
Cs_A5	32
MonthsIll	33
MonthsMood	34
Auditory_Halns_Ever	35

Visual_Halns_Ever	36
Delusions_Ever	37
Current_Psychosis	38
Current_Psychosis_Duration_Weeks	39
Persecutory_Delusions	39
Jealousy_Delusions	41
Guilt_Sin_Delusions	42
Grandiose_Delusions	43
Religious_Delusions	44
Somatic_Delusions	45
Del_of_Ref.....	46
Being_Controlled.....	47
Del_Mind_Reading.....	48
Thought_Broadcasting	49
Thought_Insert.....	50
Thought_Withdraw	51
Duration_Delusions_Weeks	52
Delusion_Fragment	53
Delusion_Widespread	54
Delusion_Bizarre	55
AH(Voices_Noises_Music).....	56
Running_Comment	57
Aud_2+_Voices.....	58
Thought_Echo	59
Audible_Thoughts	60
AH_See_person.....	61
Somatic_Tactile	62
Olfactory_Hal	63
Visual_Hal.....	64
Gustatory_Hal	65
Halluc_Longest_Days	66
Hall_All_Day_Several_Days.....	67

Del_Also_Hal.....	68
AH_Threatening.....	69
Mood_Incongruent_Hal.....	70
Erotomaniac_Delusions.....	71
Odd_Behavior.....	72
Disorganized_Speech.....	73
Odd_Speech.....	74
Avolition_Apathy.....	75
No_Emotions.....	76
Onset_Del_Hal_Other.....	77
Psych_SX_Duration_Days.....	78
Psych_SX_Duration_Weeks.....	79
Return_Normal_for_2Months.....	80
Unable_To_Function.....	81
Polydypsia.....	82
Pattern_Sx.....	83
Severity_Pattern.....	84
Disorg/Inapp_Behav.....	85
Alogia.....	86
Unable_To_Function_Most_Time_Since_Onset.....	87
Classification_Longitud_SZ.....	88
DSM4_Delusions.....	89
DSM4_Definite_Bizarre_Del.....	90
DSM4_Hallucinations.....	91
DSM4_2+Voices_Commented.....	92
DSM4_Disorganized_Speech.....	93
DSM4_Gross_Disorganization.....	94
DSM4_Negative_Sx.....	95
Total_DSM4_Sx.....	96
Psychosis_without_Dep_Mania.....	97
Psychosis_without_Dep_Mania_>=1week[A62a].....	98

Introduction

This document lists all variables showing graphs of occurrences of the different values of these variables for different studies of schizophrenia.

Studies that are used are called:

- 16638 NON-GAIN GRU
- 16640 NON-GAIN SARC
- 16648 GAIN GRU V13 EA
- 16648 GAIN GRU V14 AA
- 16649 GAIN SARC V13 EA
- 16649 GAIN SARC V14 AA

Statistics


Study

Selected attribute

Name: Study	Distinct: 4	Type: Nominal
Missing: 0 (0%)		Unique: 0 (0%)

No.	Label	Count
1	MGS2	3635
2	SGI	108
3	MGS1	438
4	Study	2

No class Visualize All



Variable id="phv00071337.v1"

Description: MGS1 (our affected sib pair study) or MGS2 (the current case-control study) or SGI (a previous affected sib pair study).

Value: code="MGS1" Our affected sib pair study

Value: code="MGS2" Case-control study

Value: code="SGI" A previous affected sib pair study

Sex

Selected attribute


Name: Sex
Missing: 0 (0%)

Distinct: 3

Type: Nominal
Unique: 0 (0%)

No.	Label	Count
1	1.0	2805
2	2.0	1376
3	Sex	2

No class Visualize All



Variable id="phv00071338.v1"

Tipo: integer


Value: code="1" Male

Value: code="2" Female

Location

Selected attribute		
Name: Location		Type: Nominal
Missing: 0 (0%)		Distinct: 13
		Unique: 0 (0%)
No.	Label	Count
1	CA	337
2	LA	273
3	IL	509
4	CO	542
5	GA	463
6	NY	325
7	PA	330
8	MO	446
9	MA	38
10	AU	684
11	IA	227
12	Location	2
13	TX	7

Class: Ethnicity_other[I220] (Nom) Visualize All



Variable id="phv00071340.v1"

Description: Study location (geographical) that recruited and evaluated the subject

Value: code="AU" Australia

Value: code="CA" California

Value: code="CO" Colorado

Value: code="GA" Georgia (previously Houston)

Value: code="IA" Iowa

Value: code="IL" Illinois

Value: code="LA" Louisiana

Value: code="MA" Massachusetts

Value: code="MO" Missouri

Value: code="NY" New York

Value: code="PA" Pennsylvania


Self-ident-ancestry

Selected attribute

Name: Self-ident-ancestry	Distinct: 3	Type: Nominal
Missing: 0 (0%)		Unique: 0 (0%)

No.	Label	Count
1	AA	1337
2	EA	2844
3	Self-ident-ancestry	2

Class: Ethnicity_other[I220] (Nom) Visualize All



Variable id="phv00071341.v1"

Description: Self-identified ethnic ancestry

Value: code="AA" African American

Value: code="EA" European Ancestry


Age-at-interview

Selected attribute

Name: Age_at_interview
Missing: 49 (1%)
Distinct: 67
Type: Nominal
Unique: 5 (0%)

No.	Label	Count
17	34.0	88
18	26.0	65
19	48.0	160
20	41.0	139
21	36.0	103
22	19.0	29
23	55.0	86
24	45.0	173
25	42.0	138
26	44.0	135
27	46.0	150
28	49.0	145
29	24.0	52

Class: Study (Nom) Visualize All




Variable id="phv00071342.v1"

Description: Age at which the subject was interviewed (NA means not available, true age of subject could not be determined, duration of illness estimated)

Value: Years old

Digs



Variable id="phv00071343.v1"

Description: Was the subject able to complete an in-person diagnostic interview (DIGS) (i.e., some schizophrenia patients cannot participate adequately to provide valid information, but are willing to consent for the other aspects of the study including obtaining medical records)

Value: code="N" Did not complete interview

Value: code="Y" Completed interview

Figs

Selected attribute


Name: Figs
Missing: 0 (0%)

Distinct: 3

Type: Nominal
Unique: 0 (0%)

No.	Label	Count
1	N	2803
2	Y	1378
3	Figs	2

No class Visualize All




Variable id="phv00071344.v1"

Description: Did at least one family member provide a FIGS interview to provide observations on the subject's psychiatric history and symptom

Value: code="N" No FIGS obtained

Value: code="Y" FIGS obtained from informant

MedRec



Variable id="phv00071345.v1"

Description: Was at least 1 record obtained from a hospital, clinic or clinician about the subject's psychiatric history?

Value: code="N" 0 records obtained

Value: code="Y" More or equivalent to 1 medical record obtained

FH_psychosis


Selected attribute

Name: FH_psychosis
Missing: 0 (0%)
Distinct: 4

Type: Nominal
Unique: 0 (0%)

No.	Label	Count
1	1.0	577
2	0.0	2888
3	2.0	716
4	FH_psychosis	2

No class Visualize All



Variable id="phv00071346.v1"

Description: Was there evidence of a history of psychotic illness in relatives?

Value: code="0" No evidence of family history of a psychotic illness (MGS2 cases, complete assessment of family not made)

Value: code="1" Suspected history of psychotic disorder in a first- or second-degree relative (MGS2, see protocol description)

Value: code="2" Definite history of psychotic disorder in a sibling, half sibling or parent (MGS1, all diagnoses in relatives were based on full in-person assessment and consensus diagnosis)

Dx_cs_1

Selected attribute


Name: dx_cs_1
Missing: 0 (0%)

Distinct: 4

Type: Nominal
Unique: 0 (0%)

No.	Label	Count
1	295.XX	3747
2	295.70M	248
3	295.7	186
4	dx_cs_1	2

No class Visualize All



Variable id="phv00071347.v1"

Description:DSM-IV diagnosis code for the Best Estimate Final Diagnosis (code numbers)

Value: code="295.70D" Schizoaffective depressed disorder

Value: code="295.70M" Schizoaffective bipolar disorder

Value: code="295.XX" Schizophrenia

Aao_cs_1

Selected attribute

Name: aao_cs_1
Missing: 135 (3%)


Distinct: 58

Type: Nominal
Unique: 5 (0%)

No.	Label	Count
1	21.0	310
2	28.0	97
3	18.0	367
4	22.0	203
5	17.0	290
6	20.0	297
7	14.0	115
8	19.0	359
9	16.0	265
10	23.0	195
11	12.0	76
12	39.0	16
13	26.0	90

No class


Visualize All



Variable id="phv00071349.v1"

Description:Consensus age at onset (most likely age for onset of psychotic symptoms consistent with the onset of schizophrenia or schizoaffective disorder)

Dx_cs_2



Variable id="phv00071350.v1"

Description: DSM-IV diagnosis code for any additional psychiatric or substance use disorder supported by the data, determined by consensus (up to 4 secondary diagnoses included in file). Code numbers (see the DSM-IV manual for all psychiatric disorders)

Value: code="291.2" Alcohol-induced persisting dementia

Value: code="292.12" Substance-induced psychotic disorder, with hallucinations

Value: code="293.83" Mood disorder due to the general medical condition

Value: code="296.2" Major depressive disorder, single episode, unspecified

Value: code="296.3" Major depressive disorder, recurrent, unspecified

Value: code="296.34" Major depressive disorder, recurrent, severe with psychotic features

Value: code="296.8" Bipolar disorder NOS

Value: code="299.8" Pervasive developmental disorder NOS
Value: code="300.21" Panic disorder with agoraphobia
Value: code="300.23" Social phobia
Value: code="300.3" Obsessive-compulsive disorder
Value: code="301.2" Schizoid personality disorder
Value: code="301.7" Antisocial personality disorder
Value: code="301.8" Narcissistic Personality Disorder, or Avoidant Personality Disorder, or
Borderline Personality Disorder, or Passive aggressive personality disorder
Value: code="301.83" Borderline personality disorder
Value: code="302.2" Pedophilia
Value: code="303.9" Alcohol dependence
Value: code="304" Opioid dependence
Value: code="304.2" Cocaine dependence
Value: code="304.3" Cannabis dependence
Value: code="304.4" Amphetamine dependence
Value: code="304.5" Hallucinogen dependence
Value: code="304.6" Inhalant dependence
Value: code="304.8" Polysubstance dependence
Value: code="305" Alcohol abuse
Value: code="305.1" Nicotine dependence
Value: code="305.2" Cannabis abuse
Value: code="305.3" Hallucinogen abuse
Value: code="305.4" Sedative, hypnotic, or anxiolytic abuse
Value: code="305.5" Opioid abuse
Value: code="305.6" Cocaine abuse
Value: code="305.7" Amphetamine abuse
Value: code="305.9" Caffeine Intoxication
Value: code="307.6" Enuresis (not due to a general medical condition)
Value: code="309.81" Posttraumatic stress disorder
Value: code="311" Depressive disorder NOS
Value: code="312.8" Conduct disorder
Value: code="312.9" Disruptive behavior disorder NOS
Value: code="314.01" Attention-deficit hyperactivity disorder
Value: code="315" Reading disorder
Value: code="315.9" Learning disorder NOS
Value: code="317" Mild mental retardation
Value: code="318" Moderate mental retardation
Value: code="294.80A" Amnestic disorder NOS
Value: code="296.2X" Major depressive disorder single episode
Value: code="296.2x" Major depressive disorder single episode
Value: code="296.70A" Bipolar disorder, NOS

Value: code="304.50B" Phencyclidine (PCP) or similarly acting arylcyclohexylamine dependence


Value: code="304.90A" Other (or unknown) substance dependence

Value: code="305.20A" Cannabis abuse

Dx_cs_3

Selected attribute		
Name: dx_cs_3		Type: Nominal
Missing: 2228 (53%)		Distinct: 52
		Unique: 17 (0%)
No.	Label	Count
40	305.90B	1
41	305.90C	1
42	292.11G	1
43	296.3	2
44	292.84	2
45	304.90B	1
46	555.0	12
47	296.3x	5
48	307.1	2
49	296.34C	1
50	298.9	2
51	293.81	1
52	296.32	1

No class Visualize All



Variable id="phv00071353.v1"

Description: DSM-IV diagnosis code for any additional psychiatric or substance use disorder supported by the data, determined by consensus (up to 4 secondary diagnoses included in file).

Code numbers (see the DSM-IV manual for all psychiatric disorders)

Value: code="296.2" Major depressive disorder, single episode, unspecified

Value: code="296.8" Bipolar disorder NOS

Value: code="299" Autistic disorder

Value: code="299.8" Pervasive developmental disorder NOS

Value: code="300.3" Obsessive-compulsive disorder

Value: code="300.4" Dysthymic disorder

Value: code="301.7" Antisocial personality disorder
Value: code="303.9" Alcohol dependence
Value: code="304" Opioid dependence
Value: code="304.1" Sedative, hypnotic, or anxiolytic dependence
Value: code="304.2" Cocaine dependence
Value: code="304.3" Cannabis dependence
Value: code="304.4" Amphetamine or similarly acting sympathomimetic dependence
Value: code="304.5" Hallucinogen dependence
Value: code="304.6" Inhalant dependence
Value: code="304.8" Polysubstance dependence
Value: code="305" Alcohol abuse
Value: code="305.1" Nicotine dependence
Value: code="305.2" Cannabis abuse
Value: code="305.3" Hallucinogen abuse
Value: code="305.4" Sedative, hypnotic, or anxiolytic abuse
Value: code="305.5" Opioid abuse
Value: code="305.6" Cocaine abuse
Value: code="305.7" Amphetamine abuse
Value: code="305.9" Caffeine Intoxication
Value: code="307.6" Enuresis (not due to a general medical condition)
Value: code="311" Depressive disorder NOS
Value: code="312.8" Conduct disorder
Value: code="312.9" Disruptive behavior disorder NOS
Value: code="314.01" Attention-deficit hyperactivity disorder
Value: code="315" Reading disorder
Value: code="315.2" Disorder of written expression
Value: code="317" Mild mental retardation
Value: code="296.2X" Major depressive disorder single episode
Value: code="305.20A" Cannabis abuse
Value: code="305.60A" Cocaine abuse
Value: code="305.70B" Amphetamine abuse
Value: code="305.90D" Phencyclidine abuse
Value: code="315.31B" Developmental receptive language disorder

dx_cs_4

Selected attribute

Name: dx_cs_4
Missing: 3089 (74%)


Distinct: 47

Type: Nominal
Unique: 16 (0%)

No.	Label	Count
1	305.2	113
2	305.7	76
3	304.1	15
4	304.0	39
5	305.5	28
6	296.8	42
7	304.2	149
8	296.2X	2
9	311.0	103
10	304.4	64
11	304.5	22
12	305.6	91
13	V40.00	1

No class

Visualize All



Has the same values as the previous variable

Dx_cs_5

Selected attribute

Name: dx_cs_5
Missing: 3646 (87%)


Distinct: 38

Type: Nominal
Unique: 15 (0%)

No.	Label	Count
1	296.74C	1
2	304.4	44
3	296.3X	1
4	311.0	66
5	304.5	20
6	296.8	32
7	304.2	41
8	305.90A	1
9	305.0	31
10	305.2	32
11	305.6	33
12	305.4	10
13	304.3	20

No class

Visualize All



Variable id="phv00071359.v1"

Description: DSM-IV diagnosis code for any additional psychiatric or substance use disorder supported by the data, determined by consensus (up to 4 secondary diagnoses included in file). Code numbers (see the DSM-IV manual for all psychiatric disorders)

Value: code="296.2" Major depressive disorder, single episode, unspecified

Value: code="296.3" Major depressive disorder, recurrent, unspecified

Value: code="296.8" Bipolar disorder NOS

Value: code="301.7" Antisocial personality disorder

Value: code="303.9" Alcohol dependence

Value: code="304" Opioid dependence

Value: code="304.1" Sedative, hypnotic, or anxiolytic dependence

Value: code="304.2" Cocaine dependence

Value: code="304.3" Cannabis dependence
Value: code="304.4" Amphetamine or similarly acting sympathomimetic dependence
Value: code="304.5" Hallucinogen dependence
Value: code="304.8" Polysubstance dependence
Value: code="305" Alcohol abuse
Value: code="305.2" Cannabis abuse
Value: code="305.3" Hallucinogen abuse
Value: code="305.4" Sedative, hypnotic, or anxiolytic abuse
Value: code="305.5" Opioid abuse
Value: code="305.6" Cocaine abuse
Value: code="305.7" Amphetamine abuse
Value: code="305.9" Caffeine intoxication
Value: code="311" Depressive disorder NOS
Value: code="312.31" Pathological gambling
Value: code="314" Attention-deficit/hyperactivity disorder, predominantly inattentive


type

Value: code="317" Mild mental retardation
Value: code="296.3X" Major depressive disorder recurrent
Value: code="296.74C" Bipolar I disorder with psychosis (Incongruent)
Value: code="304.90A" Polysubstance dependence
Value: code="305.50A" Opioid abuse
Value: code="305.70B" Amphetamine or similarly acting sympathomimetic abuse
Value: code="305.90A" Phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse
Value: code="312.39A" Trichotillomania
Value: code="315.31A" Developmental expressive language disorder

SumCritA

Selected attribute		
Name: SumCritA		Type: Nominal
Missing: 0 (0%)		Distinct: 8
		Unique: 0 (0%)
No.	Label	Count
1	7.0	829
2	5.0	981
3	6.0	990
4	2.0	93
5	4.0	770
6	3.0	378
7	0.0	140
8	SumCritA	2

No class Visualize All



Variable id="phv00071362.v1"

Description:The total of items cs_A1 through A5 - note that bizarre delusions (A1a) and voices commenting or conversing (A2a) count as an extra "point", so that a sum of 2 indicates that Criterion A has been met (e.g., for bizarre delusions, one would get 1 for A1 and 1 for A1a, totaling 2) - NOTE: by definition, all subjects with schizophrenia or schizoaffective disorder diagnoses were judged as meeting DSM-IV criteria B-F for schizophrenia. Number of criteria present

Value: code="0" Sum of cs_A1, cs_A1a, cs_A2, cs_A2a, cs_A3, cs_A4, and cs_A5 equals 0

Value: code="1" Sum of cs_A1, cs_A1a, cs_A2, cs_A2a, cs_A3, cs_A4, and cs_A5 equals 1


Value: code="2" Sum of cs_A1, cs_A1a, cs_A2, cs_A2a, cs_A3, cs_A4, and cs_A5 equals 2

Value: code="3" Sum of cs_A1, cs_A1a, cs_A2, cs_A2a, cs_A3, cs_A4, and cs_A5 equals 3
Value: code="4" Sum of cs_A1, cs_A1a, cs_A2, cs_A2a, cs_A3, cs_A4, and cs_A5 equals 4
Value: code="5" Sum of cs_A1, cs_A1a, cs_A2, cs_A2a, cs_A3, cs_A4, and cs_A5 equals 5
Value: code="6" Sum of cs_A1, cs_A1a, cs_A2, cs_A2a, cs_A3, cs_A4, and cs_A5 equals 6
Value: code="7" Sum of cs_A1, cs_A1a, cs_A2, cs_A2a, cs_A3, cs_A4, and cs_A5 equals 7

Cs_A1

Selected attribute		
Name: cs_A1		Type: Nominal
Missing: 140 (3%)		Distinct: 3
		Unique: 0 (0%)
No.	Label	Count
1	1.0	3982
2	0.0	59
3	cs_A1	2

No class Visualize All



Variable id="phv00071363.v1"

Description:Consensus rating for DSM-IV schizophrenia criterion A1 (delusions)

Comentarios:Consensus diagnostician rates each DSM-IV criterion for schizophrenia as present or absent based on agreement of two independent diagnosticians or discuss of consensus


Value: code="0" Absent

Value: code="1" Present

cs_A1a

Selected attribute		
Name: cs_A1a		Type: Nominal
Missing: 178 (4%)		Distinct: 3
		Unique: 0 (0%)
No.	Label	Count
1	1.0	2530
2	0.0	1473
3	cs_A1a	2

No class Visualize All



Variable id="phv00071364.v1"


Description:Consensus rating for presence of bizarre delusions as defined in DSM-IV (implausible, impossible, including Schneiderian delusions)

Comentarios:Consensus diagnostician rates each DSM-IV criterion for schizophrenia as present or absent based on agreement of two independent diagnosticians or discuss of consensus

Value: code="0" Absent

Value: code="1" Present

Cs_A2



Variable id="phv00071365.v1"


Description:Consensus rating for DSM-IV schizophrenia criterion A2 (hallucinations)

Comentarios:Consensus diagnostician rates each DSM-IV criterion for schizophrenia as present or absent based on agreement of two independent diagnosticians or discuss of consensus

Value: code="0" Absent

Value: code="1" Present

cs_A2a



Variable id="phv00071366.v1"


Description:Consensus rating for presence of auditory hallucinations consisting of voices that converse with each other and/or comment on the subject's thoughts or behavior

Comentarios:Consensus diagnostician rates each DSM-IV criterion for schizophrenia as present or absent based on agreement of two independent diagnosticians or discuss of consensus

Value: code="0" Absent

Value: code="1" Present

Cs_A3



Variable id="phv00071367.v1"


Description:Consensus rating for DSM-IV schizophrenia criterion A3 (disorganized speech - frequent derailment or incoherence)

Comentarios:Consensus diagnostician rates each DSM-IV criterion for schizophrenia as present or absent based on agreement of two independent diagnosticians or discuss of consensus

Value: code="0" Absent

Value: code="1" Present

Cs_A4



Variable id="phv00071368.v1"


Description:Consensus rating for DSM-IV schizophrenia criterion A4 (grossly disorganized or catatonic behavior)

Comentarios:Consensus diagnostician rates each DSM-IV criterion for schizophrenia as present or absent based on agreement of two independent diagnosticians or discuss of consensus

Value: code="0" Absent

Value: code="1" Present

Cs_A5



Variable id="phv00071369.v1"


Description:Consensus rating for DSM-IV schizophrenia criterion A rating A1 (negative symptom - affective flattening, avolition, alogia)

Comentarios:Consensus diagnostician rates each DSM-IV criterion for schizophrenia as present or absent based on agreement of two independent diagnosticians or discuss of consensus

Value: code="0" Absent

Value: code="1" Present

MonthsIll




Variable id="phv00071370.v1"

Description: Consensus estimate of the lifetime total of months that the subject has had active residual schizophrenia (or schizoaffective disorder)

Value: code="U" Unknown (could not rate)

Value: code="u" Unknown (could not rate)

MonthsMood



Variable id="phv00071371.v1"

Description:Consensus estimate of the lifetime total of months that the subject has had full mood syndromes (mania or depression) - note, ratio of MonthsMood/MonthsIll required to be more or equivalent to 0.3 to diagnose schizoaffective disorder

Value: code="u" Unknown (could not rate)


Auditory_Halns_Ever

Selected attribute

Name: Auditory_Halns_Ever[I10920] Type: Nominal
Missing: 145 (3%) Distinct: 5 Unique: 0 (0%)

No.	Label	Count
1	1.0	3243
2	0.0	464
3	2.0	251
4	3.0	78
5	Auditory_Halns_Ever[I10920]	2

No class Visualize All



Variable id="phv00071372.v1"

Description: Auditory_Hallucinations Ever (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I10920]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Suspected

Value: code="3" Unknown (could not rate)


Visual_Halns_Ever

Selected attribute

Name: Visual_Halns_Ever[I10930]	Distinct: 5	Type: Nominal
Missing: 151 (4%)		Unique: 0 (0%)

No.	Label	Count
1	0.0	1421
2	1.0	2210
3	2.0	183
4	3.0	216
5	Visual_Halns_Ever[I10930]	2

No class Visualize All



Variable id="phv00071373.v1"

Description: Visual_Hallucinations Ever (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I10930]. Rating


Value: code="0" Absent

Value: code="1" Present

Value: code="2" Suspected

Value: code="3" Unknown (could not rate)

Delusions_Ever



Variable id="phv00071374.v1"

Description:Delusions Ever (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I10940]. Rating


Value: code="0" Absent

Value: code="1" Present

Value: code="2" Suspected

Value: code="3" Unknown (could not rate)

Current_Psychosis



Variable id="phv00071375.v1"

Description: Current psychosis (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I10960]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Suspected

Value: code="3" Unknown (could not rate)


Current_Psychosis_Duration_Weeks

Selected attribute

Name: Current_Psychosis_Duration_Weeks[I10990] Type: Nominal
Missing: 688 (16%) Distinct: 143 Unique: 75 (2%)

No.	Label	Count
1	999.0	1956
2	468.0	65
3	780.0	84
4	104.0	43
5	208.0	49
6	988.0	50
7	u	91
8	260.0	68
9	728.0	67
10	572.0	57
11	26.0	5
12	520.0	97
13	364.0	66

No class Visualize All



Variable id="phv00071376.v1"

Description:Current psychosis, duration weeks (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I10990]


Value: code="999" 999 weeks or more

Value: code="u" Unknown (could not rate)

Persecutory_Delusions

Selected attribute		
Name: Persecutory_Delusions[I11030]		Type: Nominal
Missing: 211 (5%)		Distinct: 4
		Unique: 0 (0%)
No.	Label	Count
1	1.0	3026
2	2.0	259
3	0.0	685
4	Persecutory_Delusions[I11030]	2

No class Visualize All



Variable id="phv00071377.v1"

Description:Persecutory Delusions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11030]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Jealousy_Delusions

Selected attribute

Name: Jealousy_Delusions[I11110] Type: Nominal
Missing: 227 (5%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	3056
2	1.0	572
3	2.0	326
4	Jealousy_Delusions[I11110]	2

No class Visualize All



Variable id="phv00071378.v1"

Description:Jealousy Delusions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11110]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Guilt_Sin_Delusions

Selected attribute

Name: Guilt_Sin_Delusions[I11180]	Distinct: 4	Type: Nominal
Missing: 235 (6%)		Unique: 0 (0%)

No.	Label	Count
1	0.0	2950
2	1.0	670
3	2.0	326
4	Guilt_Sin_Delusions[I11180]	2

No class Visualize All



Variable id="phv00071379.v1"


Description: Guilt Sin Delusions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11180]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Grandiose_Delusions



Variable id="phv00071380.v1"


Description:Grandiose Delusions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11250]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Religious_Delusions



Variable id="phv00071381.v1"


Description: Religious Delusions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11320]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Somatic_Delusions



Variable id="phv00071382.v1"


Description: Somatic Delusions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11390]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Del_of_Ref



Variable id="phv00071383.v1"

Description:Delusions of Reference (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11460]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Being_Controlled

Selected attribute

Name: Being_Controlled[I11530] Type: Nominal
Missing: 225 (5%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	2567
2	1.0	1036
3	2.0	353
4	Being_Controlled[I11530]	2

No class Visualize All



Variable id="phv00071384.v1"

Description:Delusions of thoughts or actions being controlled (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11530]. Rating

Value: code="0" Absent


Value: code="1" Present

Value: code="2" Unknown (could not rate)

Del_Mind_Reading

Selected attribute		
Name: Del_Mind_Reading[I11600]		Type: Nominal
Missing: 223 (5%)		Distinct: 4
		Unique: 0 (0%)
No.	Label	Count
1	1.0	1711
2	0.0	1946
3	2.0	301
4	Del_Mind_Reading[I11600]	2

No class Visualize All



Variable id="phv00071385.v1"

Description:Delusions of mind being read (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11600]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Thought_Broadcasting

Selected attribute

Name: Thought_Broadcasting[I11670]	Distinct: 4	Type: Nominal
Missing: 231 (6%)		Unique: 0 (0%)

No.	Label	Count
1	0.0	2511
2	1.0	1085
3	2.0	354
4	Thought_Broadcasting[I11670]	2

No class Visualize All



Variable id="phv00071386.v1"


Description:Delusion of thoughtst (nonbizarre delusion) being broadcast out loud (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11670]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Thought_Insert



Variable id="phv00071387.v1"

Description: Delusion of thoughts being inserted (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11740]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Thought_Withdraw

Selected attribute

Name: Thought_Withdraw[I11810] Type: Nominal
Missing: 235 (6%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	3069
2	1.0	559
3	2.0	318
4	Thought_Withdraw[I11810]	2

No class Visualize All



Variable id="phv00071388.v1"

Description:Delusions of thoughts being withdrawn (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11810]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Duration_Delusions_Weeks

Selected attribute

Name: Duration_Delusions_Weeks[I11970] Type: Nominal
Missing: 392 (9%) Distinct: 150 Unique: 78 (2%)

No.	Label	Count
1	999.0	1676
2	468.0	58
3	780.0	74
4	48.0	1
5	104.0	65
6	520.0	82
7	0.0	117
8	988.0	43
9	4.0	31
10	u	245
11	260.0	72
12	728.0	53
13	572.0	45

No class Visualize All




Variable id="phv00071390.v1"

Description: Longest period of time that delusions have persisted according to subject (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I11970]

Value: code="999" 999 weeks or more

Value: code="u" Unknown (could not rate)

Delusion_Fragment



Variable id="phv00071391.v1"

Description:Fragmentary delusions - more than one theme (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12000]. Rating

Value: code="0" Absent

Value: code="1" Somewhat


Value: code="2" Definite

Value: code="3" Unknown (could not rate)

Delusion_Widespread

Selected attribute		
Name: Delusion_Widespread[I12010]		Type: Nominal
Missing: 300 (7%)	Distinct: 4	Unique: 0 (0%)
No.	Label	Count
1	1.0	2902
2	0.0	498
3	2.0	481
4	Delusion_Widespread[I12010]	2

No class Visualize All



Variable id="phv00071392.v1"

Description:Widespread delusions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12010]. Rating


Value: code="0" Absent

Value: code="1" Somewhat

Value: code="2" Definite

Value: code="3" Unknown (could not rate)

Delusion_Bizarre



Variable id="phv00071393.v1"

Description: Bizarre delusions - impossible, could not occur in real life (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12020]. Rating

Value: code="0" Absent

Value: code="1" Somewhat


Value: code="2" Definite

Value: code="3" Unknown (could not rate)

AH(Voices_Noises_Music)

Selected attribute		
Name: AH(Voices_Noises_Music)[I12030]		Type: Nominal
Missing: 346 (8%)		Distinct: 4
		Unique: 0 (0%)
No.	Label	Count
1	1.0	3221
2	0.0	415
3	2.0	199
4	AH(Voices_Noises_Music)[I12030]	2

No class Visualize All



Variable id="phv00071394.v1"


Description: Auditory Hallucinations (Voices Noises Music) (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12030]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Running_Comment



Variable id="phv00071395.v1"

Description: Auditory hallucinations of voices making a running commentary on subject's thoughts or actions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12100]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Aud_2+_Voices

Selected attribute

Name: Aud_2+_Voices[I12170] Type: Nominal
Missing: 370 (9%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	1.0	1463
2	0.0	1945
3	2.0	403
4	Aud_2+_Voices[I12170]	2

No class Visualize All



Variable id="phv00071396.v1"

Description: Auditory hallucinations of 2+ voices conversing with each other (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12170]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Thought_Echo

Selected attribute

Name: Thought_Echo[I12240]
Missing: 378 (9%)
Distinct: 4
Type: Nominal
Unique: 0 (0%)

No.	Label	Count
1	1.0	882
2	0.0	2507
3	2.0	414
4	Thought_Echo[I12240]	2

No class Visualize All



Variable id="phv00071397.v1"

Description: Hallucinations of thoughts being echoed out loud (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12240]. Rating

Value: code="0" Absent


Value: code="1" Present

Value: code="2" Unknown (could not rate)

Audible_Thoughts

Selected attribute		
Name: Audible_Thoughts[I12310]		Type: Nominal
Missing: 372 (9%)		Distinct: 4
		Unique: 0 (0%)
No.	Label	Count
1	1.0	774
2	0.0	2619
3	2.0	416
4	Audible_Thoughts[I12310]	2

No class Visualize All



Variable id="phv00071398.v1"

Description: Heard own thoughts out loud (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12310]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


AH_See_person

Selected attribute

Name: AH_See_Person[I12450] Type: Nominal
Missing: 375 (9%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	2776
2	1.0	692
3	2.0	338
4	AH_See_Person[I12450]	2

No class Visualize All



Variable id="phv00071399.v1"


Description: Having voices and concurrently seeing the "person" speaking (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12450]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Somatic_Tactile



Variable id="phv00071400.v1"

Description: Somatic or tactile hallucinations (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12520]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Olfactory_Hal

Selected attribute

Name: Olfactory_Hal[I12590] Type: Nominal
Missing: 213 (5%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	2780
2	1.0	847
3	2.0	341
4	Olfactory_Hal[I12590]	2

No class Visualize All



Variable id="phv00071401.v1"


Description: Olfactory hallucinations (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12590]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Visual_Hal



Variable id="phv00071402.v1"

Description: Visual hallucinations (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12660]. Rating

Value: code="0" Absent


Value: code="1" Present

Value: code="2" Unknown (could not rate)

Gustatory_Hal

Selected attribute		
Name: Gustatory_Hal[I12730]		Type: Nominal
Missing: 223 (5%)		Distinct: 4
		Unique: 0 (0%)
No.	Label	Count
1	0.0	3199
2	1.0	452
3	2.0	307
4	Gustatory_Hal[I12730]	2

No class Visualize All



Variable id="phv00071403.v1"


Description: Gustatory hallucinations (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12730]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Halluc_Longest_Days



Variable id="phv00071404.v1"

Description: Longest period of time that hallucinations have persisted according to subject, in days, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12800]

Value: code="999" 999 days or more

Value: code="u" Unknown (could not rate)

Hall_All_Day_Several_Days

Selected attribute

Name: Hall_All_Day_Several_Days[I12820] Type: Nominal
Missing: 306 (7%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	1.0	2933
2	0.0	556
3	2.0	386
4	Hall_All_Day_Several_Days[I12820]	2

No class Visualize All



Variable id="phv00071405.v1"

Description:Hallucinations all day for several days, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12820]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Del_Also_Hal

Selected attribute

Name: Del_Also_Hal[I12840] Type: Nominal
Missing: 401 (10%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	1.0	2672
2	2.0	539
3	0.0	569
4	Del_Also_Hal[I12840]	2

No class Visualize All



Variable id="phv00071406.v1"


Description:Delusions accompanied by hallucinations, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12840]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

AH_Threatening



Variable id="phv00071407.v1"


Description:AH Threatening (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I17705]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Mood_Incongruent_Hal



Variable id="phv00071408.v1"

Description: Mood incongruent hallucinations as judged by the interviewer, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I17706]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Erotomanic_Delusions

Selected attribute

Name: Erotomanic_Delusions[I20970] Type: Nominal
Missing: 309 (7%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	3036
2	1.0	504
3	2.0	332
4	Erotomanic_Delusions[I20970]	2

No class Visualize All



Variable id="phv00071409.v1"


Description: Erotomanic delusions (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I20970]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Odd_Behavior



Variable id="phv00071410.v1"


Description:Odd behavior by the subject's own report or interviewer's observation (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12920]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Disorganized_Speech



Variable id="phv00071411.v1"

Description:Disorganized speech characteristic of formal thought disorder, by the subject's own report or interviewer's observation (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I12990]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Odd_Speech

Selected attribute

Name: Odd_Speech[I13060] Type: Nominal
Missing: 225 (5%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	1751
2	1.0	1758
3	2.0	447
4	Odd_Speech[I13060]	2

No class Visualize All



Variable id="phv00071412.v1"

Description:Odd speech (digressive, vague, but could include looseness of associations), by the subject's own report or interviewer's observation (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I13060]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Avolition_Apathy

Selected attribute

Name: Avolition_Apathy[I13240] Type: Nominal
Missing: 220 (5%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	1525
2	2.0	288
3	1.0	2148
4	Avolition_Apathy[I13240]	2

No class Visualize All



Variable id="phv00071413.v1"

Description:Avolition or apathy, by the subject's own report or interviewer's observation (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I13240]. Rating

Value: code="0" Absent


Value: code="1" Present

Value: code="2" Unknown (could not rate)

No_Emotions

Selected attribute		
Name: No_Emotions[I13310]		Type: Nominal
Missing: 218 (5%)		Distinct: 4
		Unique: 0 (0%)
No.	Label	Count
1	0.0	1395
2	2.0	272
3	1.0	2296
4	No_Emotions[I13310]	2

No class Visualize All



Variable id="phv00071414.v1"

Description:No emotions/flat affect, by the subject's own report or interviewer's observation (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I13310]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Onset_Del_Hal_Other

Selected attribute

Name: Onset_Del_Hal_Other[I13570] Type: Nominal
 Missing: 203 (5%) Distinct: 61 Unique: 7 (0%)

No.	Label	Count
1	21.0	267
2	26.0	93
3	18.0	300
4	23.0	197
5	22.0	195
6	20.0	288
7	14.0	112
8	27.0	100
9	17.0	248
10	19.0	321
11	12.0	79
12	24.0	156
13	u	62

No class Visualize All



Variable id="phv00071415.v1"

Description: Age at onset of delusions, hallucinations or other criteria for schizophrenia, by subject's report or interviewer's judgment , followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I13570]

Value: code="u" Unknown (could not rate)


Psych_SX_Duration_Days

Selected attribute

Name: Psych_SX_Duration_Days[I13580] Type: Nominal
Missing: 4101 (98%) Distinct: 9 Unique: 1 (0%)

No.	Label	Count
1	u	8
2	1.0	30
3	2.0	13
4	6.0	1
5	3.0	13
6	5.0	3
7	Psych_SX_Duration_Days[I13580]	2
8	U	8
9	4.0	4

No class Visualize All



Variable id="phv00071416.v1"

Description:Duration of psychotic symptoms according to subject, in days if less than one week, otherwise coded as weeks in next item and this item is blank, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I13580]

Value: code="u" Unknown (could not rate)

Psych_SX_Duration_Weeks

Selected attribute

Name: Psych_SX_Duration_Weeks[I13590] Type: Nominal
Missing: 290 (7%) Distinct: 170 Unique: 92 (2%)

No.	Label	Count
1	999.0	1987
2	468.0	60
3	780.0	84
4	104.0	69
5	208.0	47
6	520.0	98
7	988.0	49
8	u	147
9	260.0	76
10	728.0	64
11	572.0	58
12	26.0	11
13	364.0	77

No class Visualize All



Variable id="phv00071417.v1"

Description:Duration of psychotic symptoms according to subject, in weeks if at least one week, otherwise coded as days in previous item and this item is blank, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I13580]

Value: code="999" 999 weeks or more

Value: code="u" Unknown (could not rate)


Return_Normal_for_2Months

Selected attribute

Name: Return_Normal_for_2Months[I13600] Type: Nominal
Missing: 234 (6%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	3509
2	1.0	286
3	2.0	152
4	Return_Normal_for_2Months[I13600]	2

No class Visualize All



Variable id="phv00071418.v1"


Description: Subject's report of whether he/she ever returned to "normal" for two or more months at a time, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I13600]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Unable_To_Function



Variable id="phv00071419.v1"

Description: Subject's report of having decrease in psychosocial function in most recent episode, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I13720]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Polydypsia

Selected attribute

Name: Polydypsia[I14340] Type: Nominal
Missing: 252 (6%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	0.0	3503
2	1.0	131
3	2.0	295
4	Polydypsia[I14340]	2

No class Visualize All



Variable id="phv00071420.v1"

Description: Polydypsia, by subject's report, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I14340]. Rating

Value: code="0" Absent


Value: code="1" Present

Value: code="2" Unknown (could not rate)

Pattern_Sx

Selected attribute		
Name: Pattern_Sx[I14350]		Type: Nominal
Missing: 288 (7%)		Distinct: 7
		Unique: 0 (0%)
No.	Label	Count
1	5.0	1732
2	1.0	1758
3	3.0	169
4	6.0	54
5	2.0	174
6	4.0	6
7	Pattern_Sx[I14350]	2

No class Visualize All



Variable id="phv00071421.v1"

Description: Pattern of positive and negative symptoms of schizophrenia , followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I14350] (see DIGS booklet for extended descriptions of levels). Rating

Value: code="1" Continuously positive

Value: code="2" Predominantly negative

Value: code="3" Predominantly positive converting to predominantly negative

Value: code="4" Negative converting to positive

Value: code="5" Continuous mixture of positive and negative symptoms

Value: code="6" Unknown (could not rate)


Severity_Pattern

Selected attribute

Name: Severity_Pattern[I14360] Type: Nominal
Missing: 220 (5%) Distinct: 7 Unique: 0 (0%)

No.	Label	Count
1	4.0	2335
2	3.0	1117
3	2.0	351
4	5.0	96
5	6.0	33
6	1.0	29
7	Severity_Pattern[I14360]	2

No class Visualize All



Variable id="phv00071422.v1"

Description: Severity/deterioration over the course of illness, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I14360] (see DIGS booklet for extended descriptions of levels). Rating

Value: code="1" Episodic shift

Value: code="2" Mild deterioration


Value: code="3" Moderate deterioration

Value: code="4" Severe deterioration

Value: code="5" Relatively stable

Value: code="6" Unknown (could not rate)

Disorg/Inapp_Behav



Variable id="phv00071423.v1"


Description: Disorganized or inappropriate behavior, by subject's report or by interviewer's observation (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I21050]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Alogia



Variable id="phv00071424.v1"

Description:Alogia, by subject's report or by interviewer's observation (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I21400]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)


Unable_To_Function_Most_Time_Since_Onset

Selected attribute

Name: Unable_To_Function_Most_Time_Since_Onset[I21500] Type: Nominal
Missing: 720 (17%) Distinct: 4 Unique: 0 (0%)

No.	Label	Count
1	1.0	3309
2	0.0	89
3	2.0	63
4	Unable_To_Function_Most_Time_Since_Onset[I21500]	2

Class: Ethnicity_other[I220] (Nom) Visualize All



Variable id="phv00071425.v1"

Description:Unable to function most time since onset, by subject's report or by interviewer's observation (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I21500]. Rating

Value: code="0" Absent


Value: code="1" Present

Value: code="2" Unknown (could not rate)

Classification_Longitud_SZ

Selected attribute		
Name: Classification_Longitud_SZ[I21560]		Type: Nominal
Missing: 312 (7%)		Distinct: 8
		Unique: 0 (0%)
No.	Label	Count
1	3.0	3311
2	6.0	91
3	2.0	50
4	4.0	146
5	7.0	38
6	1.0	214
7	Classification_Longitud_SZ[I21560]	2
8	5.0	19

Class: Ethnicity_other[I220] (Nom) Visualize All



Variable id="phv00071426.v1"

Description: Severity pattern in terms of relapsing/remitting course, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [I14360] (see DIGS booklet for extended descriptions of levels). Rating

Value: code="1" Episodic with interepisode residual symptoms

Value: code="2" Episodic with no interepisode residual symptoms

Value: code="3" Continuous

Value: code="4" Single episode in partial remission

Value: code="5" Single episode in full remission

Value: code="6" Other or unspecified pattern

Value: code="7" Unknown (could not rate)


DSM4_Delusions

Selected attribute

Name: DSM4_Delusions[A60a]	Distinct: 3	Type: Nominal
Missing: 261 (6%)		Unique: 0 (0%)

No.	Label	Count
1	1.0	3615
2	0.0	305
3	DSM4_Delusions[A60a]	2

Class: Ethnicity_other[I220] (Nom) Visualize All



Variable id="phv00071427.v1"

Description: Interviewer rating of presence/absence of DSM4 criterion A item for criterion A item for Delusions, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A60a]. Rating

Value: code="0" Absent (or insufficient evidence to rate as present)

Value: code="1" Present

DSM4_Definite_Bizarre_Del

Selected attribute

Name: DSM4_Definite_Bizarre_Del[A60b] Type: Nominal
Missing: 573 (14%) Distinct: 4 Unique: 1 (0%)

No.	Label	Count
1	0.0	1844
2	1.0	1763
3	DSM4_Definite_Bizarre_Del[A60b]	2
4	.	1

Class: Ethnicity_other[I220] (Nom) Visualize All




Variable id="phv00071428.v1"

Description: Interviewer rating of presence/absence of DSM4 criterion A item for Definite Bizarre Del, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A60b]. Rating

Value: code="0" Absent (or insufficient evidence to rate as present)

Value: code="1" Present

DSM4_Hallucinations



Variable id="phv00071429.v1"

Description: Interviewer rating of presence/absence of DSM4 criterion A item for Hallucinations, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A60c]. Rating


Value: code="0" Absent (or insufficient evidence to rate as present)

Value: code="1" Present

DSM4_2+Voices_Commented

Selected attribute		
Name: DSM4_2+Voices_Commented[A60d]		Type: Nominal
Missing: 768 (18%)		Distinct: 3
		Unique: 0 (0%)
No.	Label	Count
1	1.0	2050
2	0.0	1363
3	DSM4_2+Voices_Commented[A60d]	2

Class: Ethnicity_other[I220] (Nom) Visualize All



Variable id="phv00071430.v1"

Description: Interviewer rating of presence/absence of DSM4 criterion A item for 2+Voices Commented, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A60d]. Rating

Value: code="0" Absent (or insufficient evidence to rate as present)

Value: code="1" Present


DSM4_Disorganized_Speech

Selected attribute

Name: DSM4_Disorganized_Speech[A60e]	Type: Nominal
Missing: 279 (7%)	Distinct: 3
	Unique: 0 (0%)

No.	Label	Count
1	0.0	2315
2	1.0	1587
3	DSM4_Disorganized_Speech[A60e]	2

Class: Ethnicity_other[I220] (Nom) Visualize All



Variable id="phv00071431.v1"

Description: Interviewer rating of presence/absence of DSM4 criterion A item for Disorganized Speech, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A60e]. Rating

Value: code="0" Absent (or insufficient evidence to rate as present)

Value: code="1" Present


DSM4_Gross_Disorganization

Selected attribute

Name: DSM4_Gross_Disorganization[A60f] Type: Nominal
Missing: 272 (7%) Distinct: 3 Unique: 0 (0%)

No.	Label	Count
1	1.0	2244
2	0.0	1665
3	DSM4_Gross_Disorganization[A60f]	2

Class: Ethnicity_other[I220] (Nom) Visualize All




Variable id="phv00071432.v1"

Description: Interviewer rating of presence/absence of DSM4 criterion A item for Gross Disorganization, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A60f]. Rating

Value: code="0" Absent (or insufficient evidence to rate as present)

Value: code="1" Present

DSM4_Negative_Sx



Variable id="phv00071433.v1"

Description: Interviewer rating of presence/absence of DSM4 criterion A item for Negative Symptoms, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A60g]. Rating

Value: code="0" Absent (or insufficient evidence to rate as present)

Value: code="1" Present


Total_DSM4_Sx

Selected attribute

Name: Total_DSM4_Sx[A60h] Type: Nominal
 Missing: 278 (7%) Distinct: 9 Unique: 0 (0%)

No.	Label	Count
1	5.0	984
2	4.0	877
3	3.0	547
4	6.0	769
5	2.0	273
6	7.0	351
7	1.0	80
8	0.0	22
9	Total_DSM4_Sx[A60h]	2

Class: Ethnicity_other[I220] (Nom) Visualize All



Variable id="phv00071434.v1"

Description:Total DSM4 Symptoms (when psychotic and without other comorbid features present), followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A60h]. Count

Value: code="0" Sum of DSM4_Sx equals 0

Value: code="1" Sum of DSM4_Sx equals 1

Value: code="2" Sum of DSM4_Sx equals 2

Value: code="3" Sum of DSM4_Sx equals 3


Value: code="4" Sum of DSM4_Sx equals 4

Value: code="5" Sum of DSM4_Sx equals 5

Value: code="6" Sum of DSM4_Sx equals 6

Value: code="7" Sum of DSM4_Sx equals 7

Psychosis_without_Dep_Mania



Variable id="phv00071435.v1"


Description: Psychosis ever present without depression or mania according to subject, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A620]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)

Psychosis_without_Dep_Mania_>=1week[A62a]



Variable id=" phv00071436.v1"

Description: Psychosis ever present without depression or mania for one week or more, according to subject, followed by the raw repository SAS database field name in brackets for cross-reference to repository database [A620]. Rating

Value: code="0" Absent

Value: code="1" Present

Value: code="2" Unknown (could not rate)