

**Appendix Table A1 Sample characteristics by insurance group**

Variables	Medicare (N=2,252)		Medicaid (N=4,728)		Dual (N=1,587)		Private (N=14,025)	
	N	%	N	%	N	%	N	%
Age (M±SD)	66.7±13.5		35.0±15.3		57.8±16.1		46.0±16.9	
Gender								
Male	773	34	1,265	27	454	29	4,499	32
Female	1,479	66	3,463	73	1,123	71	9,526	68
Race <sup>a</sup>								
White	1,715	76	2,388	51	907	57	11,449	82
Black	256	11	1,033	22	278	18	962	7
Hispanic	281	12	1,307	28	402	25	1,668	12
Education								
0 – 12 years	1,550	69	3,979	85	1,247	79	6,740	48
13 – 15 years	383	17	581	12	221	14	3,580	26
16 and more years	298	13	135	3	95	6	3,661	26
Family Income								
≤124% FPL <sup>b</sup>	727	32	3,263	69	1,000	63	1,285	9
125%-199% FPL	498	22	883	19	308	19	1,789	13
200%-399% FPL	661	29	498	11	224	14	4,995	36
400% or more FPL	366	16	84	2	55	3	5,956	42
Chronic Conditions								
High Blood Pressure	1,202	53	1,161	25	814	51	3,659	26
Heart Disease	654	29	526	11	427	27	1,704	12
High Cholesterol	655	29	554	12	423	27	2,217	16
Diabetes	511	23	446	9	380	24	1,216	9
Joint Pain	1,366	61	1,851	39	1,003	63	5,870	41
Arthritis	1,134	50	1,147	24	816	51	3,400	24
Asthma	312	14	997	21	357	23	1,644	12
Number of prescription drugs taken (M±SD)	5.8±3.2		3.8±3.2		6.5±3.6		3.9±3.0	
Antidepressant Use	844	37	1,205	25	584	37	3,417	24

<sup>a</sup> White and black categories contain non-Hispanic ethnicity<sup>b</sup> FPL: Federal Poverty Level

Appendix Figure A1 Trend of antidepressant use (Unadjusted rates)

