

Online Appendix Table 1. *Dial-Up Sample Characteristics*

	6 month cohort				12 month cohort									
	Both BMQ and MPR Total N=281		MPR only Total N=96		Test Statistic	df	p	Both BMQ and MPR Total N=265		MPR only Total N=99		Test Statistic	df	p
N	%	N	%	N				%	N	%	N			
Gender					$X^2=.03$	1	.86					$X^2=4.07$	1	.04
Female	58	21	19	20				60	23	13	13			
Male	223	79	77	80				205	77	86	87			
Race					$X^2=.55$	1	.46					$X^2=2.42$	1	.12
Non-white	63	23	25	26				55	21	28	29			
White	216	77	70	74				209	79	70	71			
Ethnicity					$X^2=.99$	1	.32					$X^2=0.04$	1	.83
Hispanic/Latino	16	6	3	3				12	5	5	5			
Non-Hispanic/Latino	265	94	93	97				253	95	94	95			
Age					$X^2=1.01$	2	.60					$X^2=3.91$	2	.14
<40	31	11	14	15				25	9	16	16			
40-64	209	74	67	70				203	77	67	68			
65+	41	15	15	16				37	14	16	16			
Education					$X^2=4.69$	2	.10					$X^2=17.08$	2	<.001
High School or Less	69	25	34	36				60	23	39	40			
Some College	115	42	37	39				105	40	43	44			
College or more	93	34	24	25				96	37	16	16			
Income					$X^2=1.75$	3	.63					$X^2=1.95$	3	.58
<15k	82	31	25	28				74	30	28	30			
15k- <25k	63	24	20	22				56	22	21	22			
25- <50k	79	29	33	37				74	30	33	35			
≥50k	44	16	12	13				46	18	12	13			
Occupation					$X^2=2.26$	2	.32					$X^2=.66$	2	.72
Retired	85	32	38	40				85	34	35	36			
Unemployed	130	49	39	41				119	48	48	49			

Employed	49	19	17	18				45	18	14	14			
Living Arrangement					$X^2=.99$	1	.32					$X^2=.07$	1	.79
Married/cohabiting	153	55	47	49				145	55	53	54			
Non-cohabiting	126	45	49	51				118	45	46	46			
Baseline BDI severity					$X^2=.95$	3	.81					$X^2=2.10$	3	.55
Minimal	40	14	13	14				39	15	13	13			
Mild	40	14	14	15				41	15	11	11			
Moderate	89	32	26	27				79	30	28	28			
Severe	112	40	43	45				106	40	47	47			
Interpersonal Support (ISEL) (M, SD)	277	64.12, 21.73	87	64.26, 21.66	$z=0.20$.84	257	64.07, 22.44	96	64.09, 19.81	$z=0.20$.84
Depression Coping Self-Efficacy (DCES) (M, SD)	273	55.17, 15.98	89	54.71, 17.59	$z=0.50$.62	255	54.93, 15.69	96	54.57, 17.33	$z=.28$.78
Side Effects					N/A	--	--					N/A	--	--
Bothered by antidepressant side effects	23	8	N/A	N/A ²				22	8	N/A	N/A ²			
Not bothered by side effects	258	92	N/A	N/A ²				243	92	N/A	N/A ²			
Medication Regimen					$X^2=.02$	1	.90					$X^2=5.04$	1	.02
Complex Medication Regimen ¹	128	46	43	45				134	51	37	37			
Non-Complex Regimen	153	54	53	55				131	49	62	63			

Note. As our different research questions required different compilations of participants based on which adherence assessments they had, sample characteristics are organized by participants with both an MPR and BMQ in the first column, and participants with only an MPR in the second column. Only 10 participants at 6 months and 12 participants at 12 months had only a BMQ assessment and thus this group is not included in the table due to its small size. Additionally, X^2 or Wilcoxon p -levels are given to show whether there are significant differences between groups. ¹Complex medication regimen is taking drugs from 2 or more psychotropic classes in the past week. ²This measure was determined by the BMQ.