

Table 2: Logistic regression of three operationalizations of “dose” of maltreatment and Medicaid expenditures on psychotropic medication (N=4,453)

	<b>Model 1</b>	<b>95% CI</b>	<b>Model 2</b>	<b>95% CI</b>	<b>Model 3</b>	<b>95% CI</b>
	<b>Odds Ratio</b>		<b>Odds Ratio</b>		<b>Odds Ratio</b>	
Abuse type						
Physical	1.38*	1.04 to 1.83				
Sexual	1.22	0.83 to 1.79				
Abandonment	0.80	0.60 to 1.07				
Neglect	1.19	0.73 to 1.95				
Count of Abuse			1.12	0.90 to 1.38		
Severity of Abuse						
Mild					1.10	0.75 to 1.61
Moderate					1.14	0.78 to 1.68
Severe					1.46	0.95 to 2.24
Male	2.00*	1.55 to 2.58	1.97*	1.53 to 2.53	1.98*	1.53 to 2.55
Age						
6-11	6.80*	4.25 to 10.89	6.77*	4.22 to 10.86	6.90*	4.30 to 11.09
12-13	7.27*	4.25 to 12.43	7.58*	4.42 to 12.99	7.70*	4.49 to 13.19
≥14	7.49*	4.41 to 12.74	7.87*	4.61 to 13.44	8.11*	4.74 to 13.87
Race/ethnicity						
Black	0.62*	0.45 to 0.87	0.62*	0.44 to 0.86	0.61*	0.44 to 0.86
Hispanic	0.88	0.57 to 1.37	0.88	0.56 to 1.37	0.86	0.55 to 1.35
Other/Unknown	0.97	0.57 to 1.65	0.92	0.54 to 1.56	0.91	0.54 to 1.56
CBCL Score						
Externalizing <i>t</i> score ≥ 64 (t score <64)	4.32*	3.23 to 5.80	4.36*	3.25 to 5.85	4.41*	3.29 to 5.92
Internalizing <i>t</i> score ≥ 64 (t score <64)	1.40*	1.04 to 1.89	1.42*	1.06 to 1.91	1.41*	1.05 to 1.89
Insurance type						
Other, non-mental health carve out	0.92	0.47 to 1.81	0.88	0.45 to 1.73	0.92	0.47 to 1.80
Primary care case management (PCCM)	0.62*	0.44 to 0.87	0.61*	0.43 to 0.86	0.63*	0.44 to 0.88
Placement status						
Out of home	1.96*	1.48 to 2.60	1.86*	1.42 to 2.46	1.73*	1.28 to 2.33
Health status						
Bad	1.90*	1.30 to 2.76	1.86*	1.27 to 2.72	1.89*	1.29 to 2.77
Residence						
Rural	1.02	0.71 to 1.46	1.01	0.71 to 1.44	1.00	0.70 to 1.43

Note: \*significant at  $<.05$ ; CI = confidence interval.