

## Characteristics of hospitalizations within and not within 30 days of death

Hospitalization Characteristics (n=790)	Not within 30 days of death (n=488)	Within 30 days of death (n=302)	P-value
Patient Medical Comorbid Conditions			
Myocardial infarction/Coronary artery disease	101 (21%)	80 (26%)	0.005
Hypertension	218 (45%)	135 (45%)	0.74
Peripheral vascular disease	38 (8%)	38 (13%)	0.003
Cerebrovascular disease	60 (12%)	46 (15%)	0.04
Chronic pulmonary disease	125 (26%)	95 (31%)	0.06
Mild liver disease	54 (11%)	30 (10%)	0.18
Moderate or severe liver disease	66 (14%)	41 (14%)	0.50
Diabetes mellitus	88 (18%)	67 (22%)	0.63
Renal disease	72 (15%)	62 (21%)	0.003
Malignancy	37 (8%)	41 (14%)	0.004
Metastatic solid tumor	15 (3%)	41 (14%)	<0.001
HIV	83 (17%)	42 (14%)	0.51
Substance use disorder	26 (9%)	78 (16%)	0.005
Comorbidity Index (0-13)	3.1 (3.0)	4.3 (3.4)	<0.001
Admitted through emergency department	379 (78%)	246 (81%)	0.05
Admitting service			
Medical	373 (76%)	255 (84%)	<0.001
Surgical	49 (10%)	9 (3%)	
Length of stay (days)	13.1 (24.2)	7.4 (7.2)	<0.001
Teaching hospital	309 (63%)	185 (61%)	0.32
Hospital bed size			
0-250	135 (27%)	88 (29%)	0.25
251-400	197 (40%)	105 (35%)	
>400	152 (31%)	95 (31%)	