


	Number	Percent
White Canadian/American	292	80
White European	85	23
East Asian	19	5
Aboriginal	16	4
Middle Eastern (e.g., Egypt, Iran, Israel, Saudi Arabia)	14	4
Black Canadian/American	12	3
Latin American	11	3
South Asian (e.g., India, Sri Lanka, Pakistan)	8	2
Black African	5	1
Indo-Caribbean	5	1
South East Asian (e.g., Vietnam, Malaysia, Philippines)	5	1
Missing data	3	1

Note: N=367, but participants were instructed to endorse all that apply, leading to total endorsement over 100%.

Prior Service Utilization



	Mean	Range
MADRS total score		
T0 (n = 219)	12.1 ±4.3	1.5-24
T1 (n = 214)	12.0 ±4.5	1.0-23
ASI-3* total score		
T0 (n = 218)	30.4 ±15.8	0-70
T1 (n = 211)	31.9 ±15.9	0-70
SDS total score		
T0 (n = 218)	17.2 ±6.4	0-30
T1 (n = 212)	16.1 ±7.1	0-30

T0 = time of entry into FEMAP for Control Group

T1 = time of assessment by treating clinician at FEMAP for Control Group

*ASI-3 = Anxiety Sensitivity Index, v3, which was used for the control group; 18-item which were identical to those used in the ASI-R, but eliminating the additional 18 items from the ASI-R; 5-point scale from 0-72, with 72 the highest anxiety sensitivity