


Online supplement for 10.1176/appi.ps.202000888

PRISMA Diagram: Literature search results



Cochrane Highly Sensitive Search Strategy (CHSSS)

Database(s): Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Schizophrenia

26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | exp SCHIZOPHRENIA/ | 99544 |
| 69 | schizophrenia.tw,kf. | 92885 |
| 70 | schizophrenic disorder*.tw,kf. | 968 |
| 71 | 68 or 69 or 70 | 121843 |
| 72 | 46 and 57 and 67 and 71 | 18429 |
| 73 | limit 72 to (english language and yr="2013 -Current") | 3404 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Psychotic Disorders

26 Jan 2019

| # | Searches | Results |
|----|--|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention**".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*)).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw, | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | |
|--|---------|
| 61 adolescen*.tw,kf. | 231519 |
| 62 teen*.tw,kf. | 25160 |
| 63 or/58-62 | 7642305 |
| 64 exp CHILD/ | 1806389 |
| 65 (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 64 or 65 | 2389093 |
| 67 63 not 66 | 6400260 |
| 68 exp Psychotic Disorders/ | 49074 |
| 69 (psychotic adj2 disorder*).tw,kf. | 7450 |
| 70 psychotic disorder.tw,kf. | 2278 |
| 71 psychosis.tw,kf. | 29608 |
| 72 psychoses.tw,kf. | 14130 |
| 73 or/68-72 | 67567 |
| 74 46 and 57 and 67 and 73 | 8143 |
| 75 limit 74 to (english language and yr="2013 -Current") | 1657 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Schizoaffective Disorder

26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | schizoaffective disorder.tw,kf. | 3566 |
| 69 | schizoaffective.tw,kf. | 4783 |
| 70 | 68 or 69 | 4783 |
| 71 | 46 and 57 and 67 and 70 | 1469 |
| 72 | limit 71 to (english language and yr="2013 -Current") | 302 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Schizotypal disorder or schizotypal personality disorder

26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | (schizotypal disorder* or schizotypal personality disorder*).tw,kf. | 708 |
| 69 | 46 and 57 and 67 and 68 | 47 |
| 70 | limit 69 to (english language and yr="2013 -Current") | 5 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Schizophreniform disorder

26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | (schizophreniform adj2 disorder*).tw,kf. | 530 |
| 69 | schizophreniform disorder.mp. | 458 |
| 70 | schizophreniform.tw,kf. | 956 |
| 71 | 68 or 69 or 70 | 956 |
| 72 | 46 and 57 and 67 and 71 | 235 |
| 73 | limit 72 to (english language and yr="2013 -Current") | 18 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Delusional disorder

26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | delusional disorder.mp. | 560 |
| 69 | (delusion* adj2 disorder*).tw,kf. | 950 |
| 70 | 68 or 69 | 950 |
| 71 | 46 and 57 and 67 and 70 | 165 |
| 72 | limit 71 to (english language and yr="2013 -Current") | 28 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Brief psychotic disorder and Acute and transient psychotic disorder

26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | brief psychotic disorder*.tw,kf. | 96 |
| 69 | "acute and transient psychotic disorder**".tw,kf. | 102 |
| 70 | 68 or 69 | 185 |
| 71 | 46 and 57 and 67 and 70 | 17 |
| 72 | limit 71 to (english language and yr="2013 -Current") | 3 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019
Search Strategy: Catatonia and Unspecified catatonia
26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | exp CATATONIA/ | 2350 |
| 69 | cataton*.tw,kf. | 2739 |
| 70 | unspecified catatonia.tw,kf. | 0 |
| 71 | 68 or 69 or 70 | 3308 |
| 72 | 46 and 57 and 67 and 71 | 471 |
| 73 | limit 72 to (english language and yr="2013 -Current") | 71 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Substance- and/or Medication-induced psychotic disorders

26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | ((substance-induced or medication-induced) adj2 (psychotic or psychos*)).tw,kf. | 125 |
| 69 | 46 and 57 and 67 and 68 | 15 |
| 70 | limit 69 to (english language and yr="2013 -Current") | 7 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Other specified and unspecified schizophrenia spectrum and other psychotic disorder; other primary psychotic disorder; unspecified primary psychotic disorder

26Jan2019

| # | Searches | Results |
|----|--|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*)).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |

| | | |
|----|---|---------|
| 27 | (life skill* adj2 train*).tw,kf. | 128 |
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |

| | |
|---|---------|
| 60 exp ADOLESCENT/ | 1907907 |
| 61 adolescen*.tw,kf. | 231519 |
| 62 teen*.tw,kf. | 25160 |
| 63 or/58-62 | 7642305 |
| 64 exp CHILD/ | 1806389 |
| 65 (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 64 or 65 | 2389093 |
| 67 63 not 66 | 6400260 |
| 68 "other specified schizophrenia spectrum and other psychotic disorder".tw,kf. | 1 |
| 69 "other unspecified schizophrenia spectrum and other psychotic disorder".tw,kf. | 0 |
| 70 "other primary psychotic disorder*".tw,kf. | 8 |
| 71 "unspecified primary psychotic disorders".tw,kf. | 0 |
| 72 68 or 69 or 70 or 71 | 9 |
| 73 46 and 57 and 67 and 72 | 0 |

Cochrane Highly Sensitive Search Strategy (CHSSS)

Ovid MEDLINE(R) 1946 to January Week 3 2019

Search Strategy: Bipolar I Disorder

26 Jan 2019

| # | Searches | Results |
|----|---|---------|
| 1 | exp drug therapy/ | 1276398 |
| 2 | ((drug or pharma*) adj2 (therap* or medic*).tw,kf. | 86285 |
| 3 | exp Antipsychotic Agents/ | 116697 |
| 4 | antipsychotic*.tw,kf. | 31402 |
| 5 | anti-psychotic.tw,kf. | 582 |
| 6 | (antipsychotic* adj2 med*).tw,kf. | 5637 |
| 7 | neuroleptic*.tw,kf. | 18442 |
| 8 | antidepressive agents/ | 40719 |
| 9 | antidepressant*.tw,kf. | 53204 |
| 10 | "mood stabilizer".tw,kf. | 1091 |
| 11 | exp psychotherapy/ | 183946 |
| 12 | psychotherap*.tw,kf. | 39412 |
| 13 | (psycholog* adj2 treat*).tw,kf. | 4445 |
| 14 | "psychological therapy".tw,kf. | 743 |
| 15 | "psychosocial intervention*".tw,kf. | 3976 |
| 16 | exp family therapy/ | 8555 |
| 17 | (family adj2 (ther* or educ* or psycheduc* or interven*).tw,kf. | 14262 |
| 18 | exp electroconvulsive therapy/ | 12617 |
| 19 | ECT.tw,kf. | 6732 |
| 20 | "electroconvulsive therapy".tw,kf. | 5920 |
| 21 | exp transcranial magnetic stimulation/ | 10007 |
| 22 | TMS.tw,kf. | 8997 |
| 23 | "transcranial magnetic stimulation".tw,kf. | 11086 |
| 24 | social skill* train*.tw,kf. | 805 |
| 25 | (social skill* adj2 train*).tw. | 848 |
| 26 | life skill* train*.tw,kf. | 123 |
| 27 | (life skill* adj2 train*).tw,kf. | 128 |

| | | |
|----|---|---------|
| 28 | exp social support/ | 65887 |
| 29 | social support.tw,kf. | 28934 |
| 30 | exp peer group/ | 18949 |
| 31 | peer group.tw,kf. | 1629 |
| 32 | peer support.tw,kf. | 2781 |
| 33 | exp employment, supported/ | 1126 |
| 34 | (supp* adj2 empl*).tw,kf. | 2455 |
| 35 | (indiv* adj2 place* adj2 support*).tw,kf. | 211 |
| 36 | psychoeducation.tw,kf. | 1913 |
| 37 | interpersonal therapy.tw,kf. | 262 |
| 38 | support* education.tw,kf. | 482 |
| 39 | "interpersonal and social rhythm*".tw,kf. | 72 |
| 40 | "behavioral couples therap*".tw,kf. | 55 |
| 41 | "behavioural couples therap*".tw,kf. | 1 |
| 42 | Cognitive Remediation/ | 174 |
| 43 | cognitive remediation.tw,kf. | 745 |
| 44 | (cognitive adj2 behavior* adj2 therap*).tw,kf. | 8444 |
| 45 | (cognitive adj2 behaviour* adj2 therap*).tw,kf. | 4105 |
| 46 | or/1-45 | 1803291 |
| 47 | randomized controlled trial.pt. | 474725 |
| 48 | controlled clinical trial.pt. | 92861 |
| 49 | randomized.ab. | 375543 |
| 50 | placebo.ab. | 177023 |
| 51 | drug therapy.fs. | 2077443 |
| 52 | randomly.ab. | 260597 |
| 53 | trial.ab. | 389659 |
| 54 | groups.ab. | 1621490 |
| 55 | 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 | 4021119 |
| 56 | exp animals/ not humans.sh. | 4538799 |
| 57 | 55 not 56 | 3431042 |
| 58 | exp ADULT/ | 6727504 |
| 59 | adult.tw,kf. | 617683 |
| 60 | exp ADOLESCENT/ | 1907907 |

| | | |
|----|---|---------|
| 61 | adolescen*.tw,kf. | 231519 |
| 62 | teen*.tw,kf. | 25160 |
| 63 | or/58-62 | 7642305 |
| 64 | exp CHILD/ | 1806389 |
| 65 | (child* or infant* or paediat* or pediat*).tw,kf. | 1551146 |
| 66 | 64 or 65 | 2389093 |
| 67 | 63 not 66 | 6400260 |
| 68 | "bipolar I disorder".tw,kf. | 1825 |
| 69 | "bipolar I".tw,kf. | 2935 |
| 70 | 68 or 69 | 2935 |
| 71 | 46 and 57 and 67 and 70 | 688 |
| 72 | limit 71 to (english language and yr="2013 -Current") | 207 |

Non-RCT Search Strategy

Database(s): PsycINFO 1806 to April Week 1 2019

Search Strategy: Qualitative: schizophrenia and psychotic disorders

7 April 2019

| # | Searches | Results |
|----|---|---------|
| 1 | "patient centred".mp. | 1353 |
| 2 | "perspective".mp. | 187785 |
| 3 | subjective.mp. | 85293 |
| 4 | interview*.mp. | 375157 |
| 5 | exp Qualitative Research/ | 1 |
| 6 | qualitative.mp. | 152413 |
| 7 | exp Focus Groups/ | 0 |
| 8 | "focus group".mp. | 17061 |
| 9 | "priority".mp. | 15941 |
| 10 | priorities.mp. | 11525 |
| 11 | treatment satisfaction.mp. | 1080 |
| 12 | or/1-11 | 708255 |
| 13 | outcome.mp. | 170697 |
| 14 | exp "Outcome Assessment (Health Care)"/ | 0 |
| 15 | domain.mp. | 60006 |
| 16 | exp Health/ | 144312 |
| 17 | health.mp. or exp Health/ | 642457 |
| 18 | dimension.mp. | 42961 |
| 19 | status.mp. | 247001 |
| 20 | impact.mp. | 308968 |
| 21 | measure.mp. | 237396 |
| 22 | measur*.mp. | 837251 |
| 23 | "treatment goal".mp. | 544 |
| 24 | or/13-23 | 1762640 |
| 25 | randomized controlled trial.pt. | 0 |
| 26 | "cost-effectiveness".mp. | 7609 |
| 27 | validity.tw,kf. | 147996 |

| | | |
|----|--|--------|
| 28 | "measurement properties".tw,kf. | 1102 |
| 29 | reliability.tw,kf. | 93194 |
| 30 | phase.mp. | 82170 |
| 31 | or/25-30 | 270151 |
| 32 | exp Schizophrenia/ | 86379 |
| 33 | schizophrenia.tw,kf. | 104815 |
| 34 | schizophrenic disorder*.tw,kf. | 1360 |
| 35 | or/32-34 | 116258 |
| 36 | 12 and 24 and 35 | 11250 |
| 37 | 36 not 31 | 9852 |
| 38 | limit 37 to english language | 9277 |
| 39 | limit 38 to yr="2014 - 2019" | 2980 |
| 40 | exp Patient Reported Outcome Measures/ | 0 |
| 41 | patient reported outcome*.mp. | 2274 |
| 42 | outcomes research.mp. | 1300 |
| 43 | exp Patient Preference/ | 0 |
| 44 | patient preference.mp. | 579 |
| 45 | 40 or 41 | 2274 |
| 46 | 43 or 44 | 579 |
| 47 | 35 and 45 and 46 | 0 |
| 48 | 35 and 42 and 46 | 0 |
| 49 | 35 and 41 | 31 |
| 50 | from 49 keep 23 | 1 |
| | ((outcome adj2 assess*) or measure*).mp. or instrument*.tw,kf. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures] | 881123 |
| 52 | 35 and 46 and 51 | 7 |
| 53 | exp Psychotic Disorders/ | 0 |
| 54 | psychosis.tw,kf. | 42655 |
| 55 | psychosis.mp. | 52535 |
| 56 | psychoses.tw,kf. | 15002 |
| 57 | "psychotic disorder".tw,kf. | 3064 |
| 58 | (psychotic adj2 disorder*).tw,kf. | 10229 |

| | |
|--|--------|
| 59 or/53-58 | 64302 |
| 60 35 or 59 | 155781 |
| 61 12 and 24 and 60 | 14632 |
| 62 61 not 31 | 12849 |
| 63 or/40-44 | 4098 |
| 64 51 or 63 | 882708 |
| 65 12 and 51 and 60 | 7877 |
| 66 65 not 31 | 6500 |
| 67 limit 66 to (english language and yr="2014 - 2019") | 2055 |
| 68 12 and 51 and 60 and 24 | 7488 |
| 69 68 not 31 | 6246 |
| 70 limit 69 to (english language and yr="2014 - 2019") | 2018 |

Non-RCT Search Strategy

PsycINFO 1806 to April Week 2 2019

Search Strategy: Bipolar I qualitative

13 April 2019

| # | Searches | Results |
|----|---|---------|
| 1 | "patient centred".mp. | 1353 |
| 2 | "perspective".mp. | 187886 |
| 3 | subjective.mp. | 85366 |
| 4 | interview*.mp. | 375437 |
| 5 | exp Qualitative Research/ | 1 |
| 6 | qualitative.mp. | 152543 |
| 7 | exp Focus Groups/ | 0 |
| 8 | "focus group".mp. | 17073 |
| 9 | "priority".mp. | 15954 |
| 10 | priorities.mp. | 11534 |
| 11 | treatment satisfaction.mp. | 1081 |
| 12 | or/1-11 | 708759 |
| 13 | outcome.mp. | 170822 |
| 14 | exp "Outcome Assessment (Health Care)"/ | 0 |

| | | |
|----|---|---------|
| 15 | domain.mp. | 60053 |
| 16 | exp Health/ | 144418 |
| 17 | health.mp. or exp Health/ | 643057 |
| 18 | dimension.mp. | 42985 |
| 19 | status.mp. | 247172 |
| 20 | impact.mp. | 309255 |
| 21 | measure.mp. | 237651 |
| 22 | measur*.mp. | 837917 |
| 23 | "treatment goal".mp. | 544 |
| 24 | or/13-23 | 1763978 |
| 25 | randomized controlled trial.pt. | 0 |
| 26 | "cost-effectiveness".mp. | 7615 |
| 27 | validity.tw,kf. | 148094 |
| 28 | "measurement properties".tw,kf. | 1104 |
| 29 | reliability.tw,kf. | 93244 |
| 30 | phase.mp. | 82224 |
| 31 | or/25-30 | 270323 |
| 32 | exp Patient Reported Outcome Measures/ | 0 |
| 33 | patient reported outcome*.mp. | 2277 |
| 34 | outcomes research.mp. | 1300 |
| 35 | exp Patient Preference/ | 0 |
| 36 | patient preference.mp. | 579 |
| 37 | bipolar I disorder.mp. | 2423 |
| 38 | bipolar I.tw,kf. | 3343 |
| 39 | 37 or 38 | 3344 |
| 40 | 12 and 39 | 1422 |
| 41 | 40 not 31 | 1255 |
| 42 | or/32-36 | 4101 |
| 43 | 39 and 42 | 0 |
| 44 | limit 41 to (english language and yr="2014 - 2019") | 389 |
| 45 | exp Qualitative Research/ | 1 |
| 46 | focus group.mp. | 17073 |
| 47 | 12 or 42 | 711588 |

| | | |
|----|---|--------|
| 48 | 39 and 47 | 1422 |
| 49 | 48 not 31 | 1255 |
| 50 | 12 and 24 | 350847 |
| 51 | 12 or 42 | 711588 |
| 52 | 24 and 51 | 353277 |
| 53 | 39 and 52 | 770 |
| 54 | 53 not 31 | 677 |
| 55 | limit 54 to (english language and yr="2014 - 2019") | 218 |
| 56 | from 55 keep 1-218 | 218 |

Non-RCT Search Strategy

Ovid MEDLINE(R) <1946 to March Week 2 2019>

Search strategy: Schizophrenia (non-RCT)

| # | Searches | Results |
|----|---|---------|
| 1 | "patient centred".mp. | 4096 |
| 2 | "perspective".mp. | 150552 |
| 3 | subjective.mp. | 102553 |
| 4 | interview*.mp. | 311403 |
| 5 | exp Qualitative Research/ | 44418 |
| 6 | qualitative.mp. | 177368 |
| 7 | exp Focus Groups/ | 26231 |
| 8 | "focus group".mp. | 17132 |
| 9 | "priority".mp. | 47043 |
| 10 | priorities.mp. | 30744 |
| 11 | treatment satisfaction.mp. | 2229 |
| 12 | or/1-11 | 735709 |
| 13 | outcome.mp. | 1610781 |
| 14 | exp "Outcome Assessment (Health Care)"/ | 985616 |
| 15 | domain.mp. | 392071 |
| 16 | exp Health/ | 335120 |

| | |
|------------------------------------|---------|
| 17 health.mp. or exp Health/ | 2413096 |
| 18 dimension.mp. | 56082 |
| 19 status.mp. | 888756 |
| 20 impact.mp. | 699480 |
| 21 measure.mp. | 427258 |
| 22 measur*.mp. | 2866105 |
| 23 "treatment goal".mp. | 1321 |
| 24 or/13-23 | 7009834 |
| 25 randomized controlled trial.pt. | 476997 |
| 26 "cost-effectiveness".mp. | 45539 |
| 27 validity.tw,kf. | 132311 |
| 28 "measurement properties".tw,kf. | 1886 |
| 29 reliability.tw,kf. | 125376 |
| 30 phase.mp. | 771847 |
| 31 or/25-30 | 1448074 |
| 32 exp Schizophrenia/ | 99992 |
| 33 schizophrenia.tw,kf. | 93493 |
| 34 schizophrenic disorder*.tw,kf. | 969 |
| 35 or/32-34 | 122492 |
| 36 12 and 24 and 35 | 6573 |
| 37 36 not 31 | 5273 |
| 38 limit 37 to english language | 4797 |
| 39 limit 38 to yr="2014 - 2019" | 1079 |

Non-RCT Search Strategy

Ovid MEDLINE(R) 1946 to April Week 1 2019

Search Strategy: Bipolar I (non-RCT)

13 April 2019

| # | Searches | Results |
|---|----------|---------|
| | | |

| | | |
|----|---|---------|
| 1 | "patient centred".mp. | 4155 |
| 2 | "perspective".mp. | 151674 |
| 3 | subjective.mp. | 103158 |
| 4 | interview*.mp. | 313237 |
| 5 | exp Qualitative Research/ | 45096 |
| 6 | qualitative.mp. | 178886 |
| 7 | exp Focus Groups/ | 26450 |
| 8 | "focus group".mp. | 17328 |
| 9 | "priority".mp. | 47386 |
| 10 | priorities.mp. | 30914 |
| 11 | treatment satisfaction.mp. | 2243 |
| 12 | or/1-11 | 740392 |
| 13 | outcome.mp. | 1621246 |
| 14 | exp "Outcome Assessment (Health Care)"/ | 992383 |
| 15 | domain.mp. | 393940 |
| 16 | exp Health/ | 336879 |
| 17 | health.mp. or exp Health/ | 2426278 |
| 18 | dimension.mp. | 56367 |
| 19 | status.mp. | 893542 |
| 20 | impact.mp. | 705463 |
| 21 | measure.mp. | 429811 |
| 22 | measur*.mp. | 2879809 |
| 23 | "treatment goal".mp. | 1326 |
| 24 | or/13-23 | 7046460 |
| 25 | randomized controlled trial.pt. | 479112 |
| 26 | "cost-effectiveness".mp. | 45859 |
| 27 | validity.tw,kf. | 133125 |
| 28 | "measurement properties".tw,kf. | 1912 |
| 29 | reliability.tw,kf. | 126211 |
| 30 | phase.mp. | 775022 |
| 31 | or/25-30 | 1454626 |
| 32 | exp Patient Reported Outcome Measures/ | 2909 |
| 33 | patient reported outcome*.mp. | 11064 |

| | | |
|----|---|-------|
| 34 | outcomes research.mp. | 4200 |
| 35 | exp Patient Preference/ | 7047 |
| 36 | patient preference.mp. | 9668 |
| 37 | bipolar I disorder.mp. | 1853 |
| 38 | bipolar I.tw,kf. | 2966 |
| 39 | 37 or 38 | 2966 |
| 40 | 12 and 39 | 564 |
| 41 | 40 not 31 | 446 |
| 42 | or/32-36 | 24585 |
| 43 | 39 and 42 | 4 |
| 44 | limit 41 to (english language and yr="2014 - 2019") | 101 |

Outcome measures identified through the systematic literature searches

| Measure name | Abbreviation |
|--|--------------|
| Abnormal Involuntary Movement Scale | AIMS |
| Altman Self-rating Mania Scale | ASRM |
| Attentional Resource Allocation Scale | ARAS |
| Auditory Hallucination Rating Scale | AHRS |
| Barnes Akathisia Rating Scale | BARS |
| Bech-Rafaelsen Mania Rating Scale | MAS |
| Beliefs about Medication | BMQ |
| Bipolar Inventory of Signs and Symptoms | BISS |
| Bipolar Recovery Questionnaire | BRQ |
| Brief COPE Inventory | Brief COPE |
| Brief Life Satisfaction Scales | BLSS |
| Brief Negative Symptom Assessment | BNSA |
| Brief Negative Symptom Scale | BNSS |
| Brief Psychiatric Rating Scale | BPRS |
| Calgary Depression Scale for Schizophrenia | CDSS |
| California Quality of Life | CA-QOL |
| Centre for Epidemiological Studies - Depression Scale | CES-D |
| Children's Global Assessment Scale | CGAS |
| Clinical assessment interview for negative symptoms | CAINS |
| Clinical Global Impressions | CGI |
| Clinical Global Impressions – Bipolar Scale | CGI-BP |
| Clinical Global Impressions – Schizoaffective Disorder Scale | CGI-SCA |
| Clinical Global Impressions – Schizophrenia Scale | CGI-SCH |
| Clinical Outcomes in Routine Evaluation Outcome Measure | CORE-OM |
| Clinician-Rated Dimensions of Psychosis Symptom Severity | CRDPSS |
| Columbia Suicide Severity Rating Scale | C-SSRS |
| Comprehensive Assessment of At-Risk Mental Health States | CAARMS |
| Depression, Anxiety and Stress Scales, 21-item | DASS 21 |
| Depression, Anxiety and Stress Scales, 41-item | DASS 41 |
| DIALOG scale | DIALOG |
| Edinburgh Postnatal Depression Scale | EPDS |
| EuroQol 5D | EQ-5D |
| Extrapyramidal Symptom Rating Scale | ESRS |
| Functional Assessment Short Test | FAST |
| Functional Remission of General Schizophrenia | FROGS |
| General Behaviour Inventory | GBI |
| Generalised Anxiety Disorder Scale, 7-item | GAD7 |
| Glasgow Antipsychotic Side-effect Scale | GASS |
| Global Assessment of Functioning | GAF |

| Measure name | Abbreviation |
|---|---------------------|
| Global Functioning: Social and Role Scales | GF:Social & |
| Hamilton Rating Scale for Depression | GF:Role |
| Health of the Nation Outcome Scales | HAM-D |
| Health of the Nation Outcome Scales for Children and Adolescents | HoNOS |
| Health Utilities Index | HoNOS-CA |
| Hypomanic Attitudes and Positive Predictions Inventory | HUI |
| Illness Management and Recovery Scale | HAPPI |
| INSPIRE | IMRS |
| Internal States Scale | INSPIRE |
| Internal States Scale | ISS |
| Inventory of Depressive Symptomatology | ISS |
| Kessler Psychological Distress Scale | IDS |
| KIDSCREEN | K10 |
| Lancashire Quality of Life Profile | KIDSCREEN |
| Longitudinal Interval Follow-up Evaluation | LQLP |
| Manchester Short Assessment of Quality of Life | LIFE |
| Mental Health Inventory | MANSA |
| Mental Health Recovery Measure | MHI |
| Mental Health Statistics Improvement Program Adult Consumer Satisfaction Survey | MHRM |
| Montgomery Asberg Depression Rating Scale | MHSIP-Consumer |
| Multi-Phase Recovery Measure | MADRS |
| My Mood Monitor | MPRM |
| Negative Symptom Assessment Tool | M-3 |
| Ohio Mental Health Consumer Outcomes System | NSA-4 |
| Patient Health Questionnaire, 9-item | OMHCOS |
| Peer Outcomes Protocol | PHQ-9 |
| Personal Outcome Measure | POP |
| Personal Vision of Recovery Questionnaire | POM |
| Personal Well-being Index | PVRQ |
| Positive Symptoms Rating Scale | PWI |
| PROMIS Global Health 1.2 | PSRS |
| PROMIS Profile 29 | PROMIS GH |
| Psychological General Well-Being Index | PROMIS |
| Psychological Wellbeing Scale | Profile |
| Psychotic Symptom Rating Scales | PGWBI |
| Quality of Life Enjoyment and Satisfaction Questionnaire – Short Form | PWB |
| Quality of Life in Bipolar Questionnaire | PSYRATS |
| Quality of Life in Schizophrenia | Q-LES-Q-SF |
| Quality of Life Scale | QoL.BD |
| Questionnaire about the Process of Recovery | QLIS |
| | QOLS |
| | QPR |

| Measure name | Abbreviation |
|--|---------------------|
| Questionnaire about the Process of Recovery | QPR |
| Quick Inventory of Depressive Symptomatology – Self-Report 16-item | QIDS-SR-16 |
| Range of Impaired Functioning Tool | LIFE-RIFT |
| Recovering Quality of Life | ReQoL |
| Recovery Assessment Scale | RAS |
| Recovery Assessment Scale – Domains and Stages | RAS-DS |
| Recovery Attitudes Questionnaire | RAQ-7 |
| Recovery Index | RI |
| Recovery Measurement Tool | RMT |
| Recovery Oriented System Indicators | ROSI |
| Recovery Process Inventory | RPI |
| Recovery Questionnaire for Young People | ReQuest-YP |
| Relapse Risk Assessment for Schizophrenia Patients | RASP |
| Relationships and Activities that Facilitate Recovery Survey | RAFRS |
| Resourcefulness Skills Scale | RSS |
| Rochester Recovery Inquiry | RRI |
| Satisfaction with Life Domains Scale | SLDS |
| Satisfaction with Life Scale | SWLS |
| Scale for Assessment of Negative Symptoms | SANS |
| Scale for Assessment of Positive Symptoms | SAPS |
| Schedule for Affective Disorders and Schizophrenia | SADS |
| Schedule for Affective Disorders and Schizophrenia | SADS |
| Schizophrenia Cognition Rating Scale | ScoRS |
| Schizophrenia Quality of Life Questionnaire | S-QoL |
| Schizophrenia Quality of Life Scale | SQLS |
| Self-Report Manic Inventory | SRMI |
| Short Form Health Survey 36 | SF-36 |
| Social and Occupational Functioning Assessment Scale | SOFAS |
| Social Behaviour Schedule | SBS |
| Social Functioning Scale | SFS |
| Social Inclusion Questionnaire | SIQ |
| Social Responsiveness Scale | SRS |
| Somatic and Psychological Health Report Questionnaire | SPHERE-12 |
| Specific Levels of Functioning Scale | SLOF |
| St. Hans Rating Scale | SHRS |
| Stages of Recovery Instrument | STORI |
| Strengths and Difficulties Questionnaire | SDQ |
| Subjective Experiences of Psychosis Scale | SEPS |
| Subjective Quality of Life Profile | SQLP |
| Suicidal Behaviours Questionnaire - Revised | SBQ-R |
| Suicide Ideation Scale | SIS |
| Treatment Emergent Symptom Scale | TESS |
| University of California Performance Skills Assessment – Brief | UPSA-B |

| Measure name | Abbreviation |
|--|---------------------|
| Warwick-Edinburgh Mental Wellbeing Scale | WEMWBS |
| WHO Disability Assessment Schedule 2.0 | WHODAS 2.0 |
| WHO Quality of Life | WHOQoL |
| WHO Quality of Life-BREF | WHOQOL-BREF |
| Wisconsin Quality of Life Index | W-QLI |
| Work and Social Adjustment Scale | WSAS |
| Young Mania Rating Scale | YMRS |
| Youth Outcomes Questionnaire - 30-item | YOQ |

Outcome measures presented to the consensus working group for voting

| Measure Name | Abbreviation |
|--|---------------------|
| Abnormal Involuntary Movement Scale | AIMS |
| Altman Self-rating Mania Scale | ASRM |
| Ask Suicide-screening Questions | ASQ |
| Bipolar Recovery Questionnaire | BRQ |
| Brief Negative Symptom Assessment | BNSA |
| Calgary Depression Scale for Schizophrenia | CDSS |
| Centre for Epidemiological Studies Depression Scale | CES-D |
| Clinical Global Impressions | CGI |
| Clinical Outcomes in Routine Evaluation – 10-item | CORE-10 |
| Clinical Outcomes in Routine Evaluation – Outcome Measure | CORE-OM |
| Columbia Suicide Severity Rating Scale | C-SSRS |
| Depression, Anxiety and Stress Scales, 21-item | DASS 21 |
| Depression, Anxiety and Stress Scales, 41-item | DASS 41 |
| EUROQOL 5D | EQ-5D |
| Glasgow Antipsychotic Side-effect Scale | GASS |
| Health-Related Quality of Life Questionnaire for Children and Young People and their Parents | KIDSCREEN |
| Health of the Nation Outcome Scales | HoNOS |
| Health of the Nation Outcome Scales for Children and Adolescents | HoNOS-CA |
| ICECAP-A capability measure | ICECAP |
| Inventory of Depressive Symptomatology | IDS |
| Illness Management and Recovery Scale | IMRS |
| INSPIRE | INSPIRE |
| Internal States Scale | ISS |
| Mental Health Recovery Measure | MHRM |
| Modified Colorado Symptom Index | MCSI |
| Negative Symptom Assessment Tool | NSA-4 |
| Patient Health Questionnaire, 15-item | PHQ-15 |
| Patient Health Questionnaire, 9-item | PHQ-9 |
| Personal Wellbeing Index | PWI |
| Positive Symptoms Rating Scale | PSRS |
| PROMIS Emotional Distress | PROMIS ED |

| Measure Name | Abbreviation |
|---|-----------------------|
| PROMIS Global Health 1.2 | PROMIS GH |
| PROMIS Profile 29 | PROMIS Profile |
| PROMIS Pediatric Profile 25 | PROMIS Profile 25 |
| PROMIS Sleep Disturbance Short Form 4a | PROMIS Sleep SF 4a |
| Quality of Life Enjoyment and Satisfaction Questionnaire – Short Form | |
| (Quick) Inventory of Depression Symptomatology – Self-reported | |
| Quality of Life in Bipolar Questionnaire | QoL.BD |
| Quality of Life Scale | QOLS |
| Questionnaire about the Process of Recovery | QPR |
| Recovery Assessment Scale | RAS |
| Recovery Assessment Scale – Domains and Stages | RAS-DS |
| Recovering Quality of Life | ReQoL |
| Recovery Questionnaire for Young People | ReQuest-YP |
| Schizophrenia Quality of Life Questionnaire | S-QoL |
| Schizophrenia Quality of Life Scale | SQLS |
| Scale for Assessment of Negative Symptoms | SANS |
| Scale for Assessment of Positive Symptoms | SAPS |
| Short Form Health Survey, 36-item | SF-36 |
| Stages of Recovery Instrument | STORI |
| Suicidal Behaviours Questionnaire – Revised | SBQ-R |
| Suicide Ideation Scale | SIS |
| Warwick-Edinburgh Mental Wellbeing Scale | WEMWBS |
| WHO Disability Assessment Schedule 2.0 | WHODAS 2.0 |
| WHO Quality of Life | WHOQoL |
| WHO Quality of Life-BREF | WHOQOL-BREF |
| Work and Social Adjustment Scale | WSAS |