

Supplementary Table 1

Associations between demographics and safety plan contact variables utilizing logistic regressions.

		Distraction Contact			Help contact		
		OR	95% CI	<i>p</i>	OR	95 % CI	<i>p</i>
Age	19-29 years old (Ref)	-	-	.108	-	-	.182
	30-39 years old	1.29	0.91-1.85	.157	0.96	0.59-1.56	.862
	40-49 years old	0.89	0.60-1.30	.537	0.99	0.57-1.74	.984
	50-59 years old	1.08	0.71-1.64	.732	0.62	0.37-1.06	.082
	60+ years old	0.80	0.55-1.16	.235	0.66	0.40-1.09	.102
Gender	Men (Ref)	-	-	-	-	-	-
	Women	1.93	1.37-2.74	<.001	1.69	1.07-2.67	.026
Race-ethnicity ^a	White (Ref)	-	-	.027	-	-	.016
	Black or African American	1.07	0.76-1.50	.709	1.58	0.99-2.53	.054
	Asian	0.78	0.52-1.15	.204	1.78	0.97-3.27	.064
	American Indian or Alaskan Native	0.66	0.20-2.14	.490	0.54	0.15-1.98	.357
	Native Hawaiian or other Pacific Islander	3.53	1.08-11.57	.038	3.04	0.72-12.79	.130
	Multiracial	0.57	0.28-1.16	.124	0.79	0.32-1.95	.609
	Latinx	1.30	0.91-1.85	.144	2.10	1.26-3.47	.004
	Not Latinx, refused or unknown race	3.97	0.52-30.30	.184	0.45	0.14-1.41	.169
	Latinx, non-white or multiracial	3.57	0.84-15.20	.085	-	-	.998
Psychiatric diagnosis	No Psychiatric Diagnosis (Ref)	-	-	.115	-	-	.850
	Schizophrenia or Schizoaffective	1.50	0.87-2.60	.146	0.85	0.41-1.78	.671
	Other Psychotic Disorders	0.87	0.40-1.87	.741	1.23	0.35-4.41	.746
	Affective Disorders	1.47	1.01-2.12	.042	0.92	0.54-1.58	.766
	PTSD	1.62	1.04-2.53	.034	1.04	0.55-1.95	.911
	SUD	0.88	0.48-1.59	.662	0.60	0.27-1.34	.210
	Other Psychiatric Disorders	1.52	0.73-3.15	.264	0.78	0.31-1.97	.596

Note. Ref = reference group. Help contact and Latinx, non-white or multiracial *n* = 0.

^a *n* = 25 refused or unknown race-ethnicity.