























































































































































































456. Papatheodorou G, Kutcher SP: Divalproex sodium treatment in late adolescent and young adult acute mania. *Psychopharmacol Bull* 1993; 29:213–219 [B]
457. Papatheodorou G, Kutcher SP, Katic M, Szalai JP: The efficacy and safety of divalproex sodium in the treatment of acute mania in adolescents and young adults: an open clinical trial. *J Clin Psychopharmacol* 1995; 15:110–116 [B]
458. Wagner KD: Safety and efficacy of divalproex in childhood bipolar disorder, in Abstracts of Posters Presented at the 2000 Annual Meeting of the American Academy of Child and Adolescent Psychiatry. Washington, DC, AACAP, 2000 [G]
459. Kastner T, Friedman DL: Verapamil and valproic acid treatment of prolonged mania. *J Am Acad Child Adolesc Psychiatry* 1992; 31:271–275 [D]
460. Kastner T, Friedman DL, Plummer AT, Ruiz MQ, Henning D: Valproic acid for the treatment of children with mental retardation and mood symptomatology. *Pediatrics* 1990; 86:467–472 [G]
461. Whittier MC, West SA, Galli VB, Raute NJ: Valproic acid for dysphoric mania in a mentally retarded adolescent. *J Clin Psychiatry* 1995; 56:590–591 [G]
462. Deltito JA, Levitan J, Damore J, Hajal F, Zambenedetti M: Naturalistic experience with the use of divalproex sodium on an in-patient unit for adolescent psychiatric patients. *Acta Psychiatr Scand* 1998; 97:236–240 [E]
463. Kowatch RA, Suppes T, Carmody TJ, Bucci JP, Hume JH, Kromelis M, Emslie GJ, Weinberg WA, Rush AJ: Effect size of lithium, divalproex sodium, and carbamazepine in children and adolescents with bipolar disorder. *J Am Acad Child Adolesc Psychiatry* 2000; 39:713–720 [A]
464. Woolston JL: Case study: carbamazepine treatment of juvenile-onset bipolar disorder. *J Am Acad Child Adolesc Psychiatry* 1999; 38:335–338 [G]
465. Frazier JA, Biederman J, Jacobs TG, Tohen MF, Toma V, Feldman PD, Rater MA, Tarazi RA, Kim GA, Garfield SB, Gonzalez-Heydrich J, Nowlin ZM: Olanzapine in the treatment of bipolar disorder in juveniles, in New Clinical Drug Evaluation Unit 2000 Program Abstracts. Washington, DC, NCDEU, 2000, poster 46 [G]
466. Chang KD, Ketter TA: Mood stabilizer augmentation with olanzapine in acutely manic children. *J Child Adolesc Psychopharmacol* 2000; 10:45–49 [G]
467. Soutullo CA, Sorter MT, Foster KD, McElroy SL, Keck PE: Olanzapine in the treatment of adolescent acute mania: a report of seven cases. *J Affect Disord* 1999; 53:279–283 [E]
468. Frazier JA, Meyer MC, Biederman J, Wozniak J, Wilens TE, Spencer TJ, Kim GS, Shapiro S: Risperidone treatment for juvenile bipolar disorder: a retrospective chart review. *J Am Acad Child Adolesc Psychiatry* 1999; 38:960–965 [F]
469. Ryback RS, Brodsky L, Munasifi F: Gabapentin in bipolar disorder (letter). *J Neuropsychiatry Clin Neurosci* 1997; 9:301 [G]
470. Soutullo CA, Casuto LS, Keck PE Jr: Gabapentin in the treatment of adolescent mania: a case report. *J Child Adolesc Psychopharmacol* 1998; 8:81–85 [G]
471. Hill MA, Courvoisier H, Dawkins K, Nofal P, Thomas B: ECT for the treatment of intractable mania in two prepubertal male children. *Convuls Ther* 1997; 13:74–82 [G]
472. Rey JM, Walter G: Half a century of ECT use in young people. *Am J Psychiatry* 1997; 154: 595–602 [F]